

## 医疗配件 medical Accessories



重复性导联线  
REUSABLE ELECTROSURGICAL CABLE



一次性导联线  
DISPOSABLE ELECTROSURGICAL CABLE



高频电刀笔  
ELECTROSURGICAL PENCIL








血氧饱和度探头  
PULSE OXIMETRY SENSORS











电刀负极板  
DISPERSIVE ELECTRODE PATCH















一次性电极片  
DISPOSABLE ELECTRODE















PROBE TYPE 探头类型				
Adult High Elastic Nonwoven adhesive tape 成人高弹力无纺布  01	Pediatric High Elastic Nonwoven adhesive tape 儿童高弹力无纺布  02	Infant High Elastic Nonwoven adhesive tape 婴儿高弹力无纺布  03	Neonate High Elastic Nonwoven adhesive tape 新生儿高弹力无纺布  04	Comfort Non adhesive foam material with Velcro (Sponge) 非粘贴性海绵  05
Application: Adult > 30KG Application site: Finger 适用人群: 成人大于30KG 适用部位: 手指	Application: Pediatric 10 - 50KG Application site: Finger 适用人群: 儿童 10 - 50KG 适用部位: 手指	Application: Infant 1 - 20KG Application site: Great toe 适用人群: 婴儿 1 - 20KG 适用部位: 大脚趾	Application: Neonate <3KG Application site: Neonatal foot or Adult Index 适用人群: 新生儿 <3KG 适用部位: 新生儿脚或者成人食指	Application: Neonate <3KG Application site: Neonatal foot or Adult Index 适用人群: 新生儿 <3KG 适用部位: 新生儿脚或者成人食指

PART NO 型号	DESCRIPTION 产品描述	CONNECTOR TYPE 连接器类型	PROBE TYPE 探头类型	COMPATIBLE MODEL 兼容机型	EMITTER 传感器
TSD-0101	Nellcor 7pin adult nonwoven, L = 0.45m	01 	Adult 成人	<b>Nellcor®:</b> N100 (req. preamp cable), N180, N200 (req. preamp cable), N-20, NPB-40, NPB-75, NPB-290/5, N-390, N-395, N-3000, N-6000	660/905-2
TSD-0102	Nellcor 7pin pediatric nonwoven, L = 0.45m		Pediatric 儿童		
TSD-0103	Nellcor 7pin infant nonwoven, L = 0.45m		Infant 婴儿		
TSD-0104	Nellcor 7pin neonate nonwoven, L = 0.9m		neonate 新生儿		
TSD-0105	Nellcor 7pin neonate sponge, L = 0.9m		neonate 新生儿		
TSD-0201	Nellcor 9pin adult nonwoven, L = 0.45m	02 	Adult 成人	<b>Nellcor® OxiMax:</b> All Nellcor & Nellcor moduled patient monitors including N-600x, GE Medical Dash 2500, 3000, 4000, 5000	660/905-2
TSD-0202	Nellcor 9pin pediatric nonwoven, L = 0.45m		Pediatric 儿童		
TSD-0203	Nellcor 9pin infant nonwoven, L = 0.45m		Infant 婴儿		
TSD-0204	Nellcor 9pin neonate nonwoven, L = 0.9m		neonate 新生儿		
TSD-0205	Nellcor 9pin neonate sponge, L = 0.9m		neonate 新生儿		
TSD-0301	NK 9pin adult nonwoven, L = 0.45m	03 	Adult 成人	<b>Nihon Kohden:</b> Bedside monitor: BSM-4101, 4103, 4111, 4113 Life scope P, BSM-5105, 5135, Life scope A, BSM-2351, 2353 Life scope L, BSM-2301, 2303 Life scope I	660/905-3
TSD-0302	NK 9pin pediatric nonwoven, L = 0.45m		Pediatric 儿童		
TSD-0303	NK 9pin infant nonwoven, L = 0.45m		Infant 婴儿		
TSD-0304	NK 9pin neonate nonwoven, L = 0.9m		neonate 新生儿		
TSD-0305	NK 9pin neonate sponge, L = 0.9m		neonate 新生儿		
TSD-0401	Masimo 7pin adult nonwoven, L = 0.45m	04 	Adult 成人	<b>Masimo LNCS:</b> All Masimo LNCS moduled patient monitors	660/905-2
TSD-0402	Masimo 7pin pediatric nonwoven, L = 0.45m		Pediatric 儿童		
TSD-0403	Masimo 7pin infant nonwoven, L = 0.45m		Infant 婴儿		
TSD-0404	Masimo 7pin neonate nonwoven, L = 0.9m		neonate 新生儿		
TSD-0405	Masimo 7pin neonate sponge, L = 0.9m		neonate 新生儿		















PART NO 型号	DESCRIPTION 产品描述	CONNECTOR TYPE 连接器类型	PROBE TYPE 探头类型	COMPATIBLE MODEL 兼容机型	EMITTER 传感器
TSD-0501	BCI 9pin adult nonwoven, L = 0.45m	05 	Adult 成人	<b>BCI (Smiths Medical):</b> 3100,3101,3300,3301,3302,3303,3304,3401,6100,9100	660/905-2
TSD-0502	BCI 9pin pediatric nonwoven, L = 0.45m		Pediatric 儿童		
TSD-0503	BCI 9pin infant nonwoven, L = 0.45m		Infant 婴儿		
TSD-0504	BCI 9pin neonate nonwoven, L = 0.9m		neonate 新生儿		
TSD-0505	BCI 9pin neonate sponge, L = 0.9m		neonate 新生儿		
TSD-0601	Ohmeda 9pin adult nonwoven, L = 0.45m	06 	Adult 成人	<b>GE Ohmeda Trusignal:</b> T3-G3	660/905-3
TSD-0602	Ohmeda 9pin pediatric nonwoven, L = 0.45m		Pediatric 儿童		
TSD-0603	Ohmeda 9pin infant nonwoven, L = 0.45m		Infant 婴儿		
TSD-0604	Ohmeda 9pin neonate nonwoven, L = 0.9m		neonate 新生儿		
TSD-0605	Ohmeda 9pin neonate sponge, L = 0.9m		neonate 新生儿		
TSD-0701	Ohmeda 8pin adult nonwoven, L = 0.45m	07 	Adult 成人	<b>GE-OHMEDA:</b> Trusat oximeter; <b>OHMEDA:</b> Tuffsat® handheld oximeter,3775, Tabletop oximeter:37xx Series,3800,3900,3900 P Anaesthesia monitor: 4700,5250RGM <b>Datex:</b> S/5, AS/3, CS/3	660/905/940-4
TSD-0702	Ohmeda 8pin pediatric nonwoven, L = 0.45m		Pediatric 儿童		
TSD-0703	Ohmeda 8pin infant nonwoven, L = 0.45m		Infant 婴儿		
TSD-0704	Ohmeda 8pin neonate nonwoven, L = 0.9m		neonate 新生儿		
TSD-0705	Ohmeda 8pin neonate sponge, L = 0.9m		neonate 新生儿		
TSD-0801	Philips 8pin adult nonwoven, L = 0.45m	08 	Adult 成人	<b>Philips:</b> M3,M4,MP20,MP30,MP40,MP50,MP70,MP80,VM4,VM6,VM8	660/905-2
TSD-0802	Philips 8pin pediatric nonwoven, L = 0.45m		Pediatric 儿童		
TSD-0803	Philips 8pin infant nonwoven, L = 0.45m		Infant 婴儿		
TSD-0804	Philips 8pin neonate nonwoven, L = 0.9m		neonate 新生儿		
TSD-0805	Philips 8pin neonate sponge, L = 0.9m		neonate 新生儿		















**TRISEL** is registered trademark of Shenzhen Trisel Technology Co., Ltd. Other products, logos and company names mentioned herein maybe trademarks of their respective owners and are not to be taken as an endorsement or affiliation with **TRISEL**.















PART NO 型号	DESCRIPTION 产品描述	CONNECTOR TYPE 连接器类型	ADAPTER TYPE 转接器类型	COMPATIBLE MODEL 兼容机型
TSR-0101B	Adapter Cable for BCI SpO2 short probe, L = 2.5m, DB 9pin connector to DB9M old type BCI短线血氧探头转接线, DB9针转DB9M旧款小头, 2.5米	01 	01 	<b>BCI (Smiths Medical):</b> 3100,3101,3300,3301,3302,3303,3304,3401,6100,9100 <b>Spacelabs (OSI) Burdick:</b> PRO2; <b>Drager:</b> Drager Oxipac 2000/2500; <b>Digicare:</b> Digimax 5500 <b>Invacare:</b> All <b>Lynn Medical:</b> All
TSR-0202B	Adapter Cable for BCI SpO2 short probe, L = 2.5m, Push-pull 7pin connector to DB9M new type BCI短线血氧探头转接线, DB9针转DB9M新款大头, 2.5米	02 	02 	<b>BCI (Smiths Medical):</b> 6100,9000;Advisor, Autocorr, Torr, Mini Torr Plus
TSR-0501	Adapter cable for Biolight Nellcor compatible SpO2 short probe, L = 2.5m, round 12pin to DB9M new type 宝莱特奈普特兼容短线血氧探头转接线, 圆头12针转DB9M新款大头, 2.5米	05 	02 	<b>宝莱特Biolight:</b> M69,M6,M12,M7000,M8000,M9000,M9500,BTD-352A A models: AnyView A3, A5, A6, A8 M800 handheld oximeter
TSR-0602B	Adapter Cable for Bionet BCI compatible SpO2 short probe, L = 2.5m, Push-pull 7pin connector to DB9M new type 韩国Bionet BCI兼容短线血氧探头转接线, 7针自锁推拉插头转DB9M新款大头, 2.5米	06 	02 	<b>Bionet:</b> BM3, BM3 Plus
TSR-0801	Adapter Cable for Biosys Nellcor compatible SpO2 short probe, L = 2.5m, mini DIN 6pin to DB9M old type 韩国Biosys奈普特兼容短线血氧探头转接线, 6针mini DIN插头转DB9M旧款小头, 2.5米	08 	01 	<b>Biosys:</b> BPM300
TSR-0901	Adapter Cable for Bruker BCI compatible SpO2 short probe, L = 2.5m, round 12pin with 1 locating pin to DB9M old type Bruker BCI兼容短线血氧探头转接线, 圆头12针单定转DB9M旧款小头, 2.5米	09 	01 	<b>Bruker (Odam)</b> All as dc-3002, 1H, M3

PART NO 型号	DESCRIPTION 产品描述	CONNECTOR TYPE 连接器类型	ADAPTER TYPE 转接器类型	COMPATIBLE MODEL 兼容机型
TSR-1701	Adapter Cable for Datex OXY-F-DB nellcor compatible SpO2 short probe, L = 2.5m, round 10pin to DB9M old type Datex OXY-F-DB 奈普特兼容短线血氧探头转接线，圆头10针转DB9M旧款小头，2.5米	17 	01 	<b>Datex:</b> AS/3, CS/3, CH/S, CH/2S, CH-RS, CG/2S, Cardiacap 1, Cardiacap 1L, Cardiacap 5, Capnomac Ultima, Light Monitor, M-Estpr, Oscar 11, OSP-200, Satlite Trans Plus, System 5, ULTS00
TSR-1802	Adapter cable for Dolphin BCI compatible SpO2 short probe, L = 2.5m, SCSI 14pin to DB9M new type 海豚BCI兼容短线血氧探头转接线，SCSI 14针转DB9M新款大头，2.5米	18 	02 	<b>Dolphin ONE Oximeters 2150/2100 Compatible for 2G00751</b>
TSR-2002	Adapter cable for Draeger Siemens Nellcor compatible SpO2 short probe, L = 2.5m, Round 7pin to DB9M new type 德尔格奈普特兼容短线血氧探头转接线，7针圆头转DB9M新款大头，2.5米	20 	02 	<b>Draeger Siemens:</b> Draeger Infinity Vista, Delta, Gamma, Kappa MultiMed Pod; Siemens SC 6002XL, SC7000, SC8000, SC9000XL.
TSR-2003	Adapter cable for Draeger Siemens Nellcor OxiMax compatible SpO2 short probe, L = 2.5m, Round 7pin to DB9M new type 德尔格奈普特加密兼容短线血氧探头转接线，7针圆头转DB9M新款大头，2.5米	20 	03 	<b>Draeger Siemens (Oximax module):</b> Draeger Infinity Vista, Delta, Gamma, Kappa MultiMed Pod;
TSR-2102	Adapter cable for Goldway Nellcor compatible SpO2 short probe, L = 2.5m, Push-pull 5pin to DB9M new type 金科威奈普特兼容短线血氧探头转接线，5针金属自锁推拉插头转DB9M新款大头，2.5米	21 	02 	<b>Goldway金科威:</b> UT4000, UT4000A, UT4000B, UT4000C <b>ANKE安科:</b> 553 <b>JERRY山西洁瑞</b> <b>WANDONG万东</b> <b>SHENMAI深迈:</b> KP900 <b>SHIPA狮牌:</b> KMI-1000 <b>PACE TECH</b>
TSR-2202	Adapter cable for Goldway Nellcor compatible SpO2 short probe, L = 2.5m, 8pin D type to DB9M new type with 9.1kΩ resistance 金科威奈普特兼容短线血氧探头转接线，D型8针转DB9M新款大头带9.1KΩ，2.5米	22 	02 	<b>Goldway金科威:</b> UT6000A
TSR-2302	Adapter cable for GE Marquette Ohmeda compatible SpO2 short probe, L = 2.5m, Square 11pin to DB9M new type 马奎欧美达兼容短线血氧探头转接线，11针方头转DB9M新款大头，2.5米	23 	02 	<b>GE-Marquette (Ohmeda module):</b> Eagle GE, Dash GE, SOLAR GE, TRAM Modular and x50SL Series, GE Carescape Dinamap V100 with Nellcor technology (non OxiMax)































PART NO 型号	DESCRIPTION 产品描述	CONNECTOR TYPE 连接器类型	ADAPTER TYPE 转接器类型	COMPATIBLE MODEL 兼容机型
TSR-2402M	Adapter cable for GE Marquette Masimo LNCS compatible SpO2 short probe, L = 2.5m, Square 11pin to DB9M new type 马奎马西莫LNCS兼容短线血氧探头转接线, 11针方头转DB9M新款大头, 2.5米	24 	02 	<b>GE Marquette System (Masimo LNCS module):</b> Dash 2000, 3000, 4000, 5000 Solar 7000, 8000, Eagle 1000, 3000, SMK, SMV
TSR-2403	Adapter cable for GE Marquette OxiMax compatible SpO2 short probe, L = 2.5m, Square 11pin to DB9M new type 马奎奈普特加密兼容短线血氧探头转接线, 11针方头转DB9M新款大头, 2.5米	24 	03 	<b>GE-Marquette (OxiMax module):</b> GE Carescape Dinamap V100, Dash 2500, 3000, 4000, 5000, Solar 8000, Solar 8000M, i9500 with Tram module, 451N5/851N5, GE 250CX
TSR-2404	Adapter cable for GE Marquette TruSignal T3-G3 compatible SpO2 short probe, L = 2.5m, Square 11pin to T3-G3 connector 马奎Trusignal T3-G3兼容短线血氧探头转接线, 11针方头转Trusignal T3-G3插头, 2.5米	24 	04 	<b>CARESCAPE*</b> modular monitors and S/5, AS/3 and CS/3 modular monitors with E-(P)RESTN or EPSM(P) modules. <b>CARESCAPE</b> V100 with <i>TruSignal*</i> option, Responder, B20 and B30 monitors.
TSR-2501	Adapter cable for GE Hellige Nellcor compatible SpO2 short probe, L = 2.5m, Round 10pin to DB9M old type 海力格奈普特兼容短线血氧探头转接线, 圆头10针转DB9M旧款小头, 2.5米	25 	01 	<b>GE Hellige:</b> Servomed 4, Generation SCP844, 851, 852, SCS 804, SMK 151, 153, 154, 155-1, 156, 157, 181, 182, SMV 104T, 107, 111, 168, SMS 316, SMC108, SMV104, Servomed N4, Servomed, Serie, Cardioserv, Vicom SM, SMU 511, 611, 612, 630 Serie, SMK-200, 210,
TSR-2602M	Adapter cable for Invivo Masimo LNCS compatible SpO2 short probe, L = 2.5m, push-pull 7pin to DB9M new type 鹰牌马西莫LNCS兼容短线血氧探头转接线, 7针金属自锁推拉插头转DB9M新款大头, 2.5米	26 	02 	<b>Invivo (Masimo LNCS module): M8</b>
TSR-2602	Adapter cable for Invivo Nellcor compatible SpO2 short probe, L = 2.5m, push-pull 7pin to DB9M new type 鹰牌奈普特兼容短线血氧探头转接线, 7针金属自锁推拉插头转DB9M新款大头, 2.5米	26 	02 	<b>Invivo:</b> 4500, 4500 Plus, Millenia, Omega 1445, Omni-Trak TVS, Sat Scout
TSR-2702	Adapter cable for Kontron Nellcor SpO2 short probe, L = 2.5m, round 12pin 1 locating pin to DB9M new type 康强奈普特兼容短线血氧探头转接线, 曲头12针单定转DB9M新款大头, 2.5米	27 	02 	<b>Kontron:</b> 7138, 7840, 7845, Minimon 7137, Micromon, Supermon, Kolomon, Trakmon



PART NO 型号	DESCRIPTION 产品描述	CONNECTOR TYPE 连接器类型	ADAPTER TYPE 转接器类型	COMPATIBLE MODEL 兼容机型
TSR-3002	Adapter cable for Masimo LNCS SpO2 short probe, L = 2.5m, SCSI 14pin to DB9M new type 马西莫短线血氧探头转接线, SCSI 14针转DB9M新款大头, 2.5米	30 	02 	<b>Masimo:</b> All <b>MDE:</b> EscortII OPT30: Prism <b>GE Marquette:</b> PRO1000, V300 <b>INVIVO:</b> T8 <b>Schiller</b> <b>ZOLL:</b> E Series, M Series, R Series <b>Datascope:</b> Accutorr V, Duo, Passport 2, Passport 2LT, Passport V, Spectrum, Spectrum OR, Trio, V12, V21
TSR-3201C	Adapter cable for MEK CSI compatible SpO2 short probe, L = 2.5m, Round 8pin to DB9M old type MEK CSI兼容短线血氧探头转接线, 圆头8针转DB9M旧款大头, 2.5米	32 	01 	<b>REF:</b> MIS3AH-1 <b>MEK ICS:</b> MP-1000NT TYPE: MEK (CSI Module)
TSR-3202	Adapter cable for MEK Nellcor compatible SpO2 short probe, L = 2.5m, Round 8pin to DB9M new type MEK奈普特兼容短线血氧探头转接线, 圆头8针转DB9M新款大头, 2.5米	32 	02 	<b>MEK:</b> MP1000 (NELLCOR Module)
TSR-3301C	Adapter cable for MEK CSI compatible SpO2 short probe, L = 2.5m, square 6pin to DB9M old type MEK CSI兼容短线血氧探头转接线, 方头6针转DB9M旧款大头, 2.5米	33 	01 	<b>MEK:</b> MP-100, MP110, MP400, MP500, MP600, MP1000 (CSI module)
TSR-3402	Adapter cable for Mindray compatible SpO2 short probe, L = 2.5m, 6pin push-pull connector 2 locate 40° to DB9M new type 迈瑞短线血氧探头转接线, 6针自锁推拉双定40度转DB9M新款大头, 2.5米	34 	02 	<b>MINDRAY:</b> PM7000, PM8000, PM9000, PM6201, VS8000, MEC-1000 <b>Creative:</b> PC9000, UP6000 <b>Biocare:</b> BM9000
TSR-3402M	Mindray Masimo LNCS compatible SpO2 short probe, L = 2.5m, 6pin push-pull connector 2 locate 40° to DB9M new type 迈瑞马西莫兼容短线血氧探头转接线, 6针自锁推拉双定40度转DB9M新款大头, 2.5米	34 	02 	<b>MINDRAY (Masimo LNCS module):</b> PM9000, PM9100, PM9200, PM-6201, 7000, 8000, MIKO, M2KO (Before Jan 2006)
TSR-3502M	Adapter cable for Mindray Masimo LNCS compatible SpO2 short probe, L = 2.5m, 6pin push-pull connector 2 locate 60° to DB9M new type 迈瑞马西莫兼容短线血氧探头转接线, 6针自锁推拉双定60度转DB9M新款大头, 2.5米	35 	02 	<b>MINDRAY (Masimo LNCS module):</b> PM9000 express (Masimo), PM8002, 9201, (6201, 7000, 8000, M1K0, M2K0 Since 2006), T8

PART NO 型号	DESCRIPTION 产品描述	CONNECTOR TYPE 连接器类型	ADAPTER TYPE 转接器类型	COMPATIBLE MODEL 兼容机型
TSR-3602	Adapter cable for Mindray compatible SpO2 short probe, L = 2.5m, Round 7pin to DB9M new type 迈瑞短线血氧探头转接线，圆头7针转DB9M新款大头，2.5米	36 	02 	<b>MINDRAY:</b> PM6800, Beneview T5, iPM 8, iPM 10, iPM 12, iPM 9800
TSR-3603	Adapter cable for Mindray OxiMax compatible SpO2 short probe, L = 2.5m, Round 7pin to DB9M new type 迈瑞奈普特兼容加密短线血氧探头转接线，圆头7针转DB9M新款大头，2.5米	36 	03 	<b>Mindray (OxiMax module):</b> BeneView T5, T8
TSR-3702M	Adapter cable for Mindray Masimo LNCS compatible SpO2 short probe, L = 2.5m, Round 7pin to DB9M new type 迈瑞马西莫兼容短线血氧探头转接线，圆头7针转DB9M新款大头，2.5米	37 	02 	<b>MINDRAY (Masimo LNCS Module):</b> PM6800, Beneview T5, iPM 8, iPM 10, iPM 12, iPM 9800
TSR-3802	Adapter cable for Mindray compatible SpO2 short probe, L = 2.5m, Round 12pin to DB9M new type 迈瑞短线血氧探头转接线，圆头12针转DB9M新款大头，2.5米	38 	02 	<b>MINDRAY:</b> PM5000
TSR-3802M	Adapter cable for Mindray Masimo LNCS compatible SpO2 short probe, L = 2.5m, Round 12pin to DB9M new type 迈瑞马西莫兼容短线血氧探头转接线，圆头12针转DB9M新款大头，2.5米	38 	02 	<b>MINDRAY (Masimo LNCS module):</b> PM5000, PM6000
TSR-3903 (DOC-10)	Adapter cable for Nellcor OxiMax compatible SpO2 short probe, L = 2.5m, SCSI blue 14pin to DB9M new type 奈普特加密兼容短线血氧探头转接线，SCSI蓝色14针转DB9M新款大头，2.5米	39 	03 	<b>NELLCOR:</b> N550,N560, N-595, N-600x; <b>GE:</b> Dinamap PRO (w/Oxi); Schiller; CAS Med 511 Apnea Monitor; Cardell Veterinary 9403, 9500HD; Colin BP-S510 and T105NXM; Digicare LW600; Dinamap Careescape V100, ProCare, Pro Series, ProSeries V2, Pro 300, Pro 1000, Pro 1000 V3, E-NSAT Modules for i4 Modular Monitors with Oximax option; Fukuda Denshi DS-7100; GE Procure; Omron; Welch Allyn Spot Vital Signs 42NTB-E1, 42NT0-E1 LXi.
TSR-3902 (SCP-10)	Adapter cable for Nellcor compatible SpO2 short probe, L = 2.5m, SCSI 14pin to DB9M new type 奈普特短线血氧探头转接线，SCSI 14针转DB9M新款大头，2.5米	39 	02 	<b>Datascope:</b> Accutorr Plus, Duo, Passport 2, Passport XG, Spectrum, Trio <b>Nellcor:</b> NPB-290, NPB-295, N-390, N-395, NPB-290, NPB-295, N-390, N-395, N-3000, N-6000, Symphony N-3000 <b>Nihon Kohden:</b> BSM-2300, BSM-4100, BSM-5100, BSM-4104A, BSM-4114A <b>Colin:</b> BP88, BP306 <b>Critikon Dinamap ProCare, Pro Series, Pro 300, Pro 1000, M-NSAT Modules;</b>



PART NO 型号	DESCRIPTION 产品描述	CONNECTOR TYPE 连接器类型	ADAPTER TYPE 转接器类型	COMPATIBLE MODEL 兼容机型
TSR-4205	Adapter cable for Nihon Kohden compatible SpO2 short probe, L = 2.5m, Square 14pin to DB9M NK type 日本光电短线血氧探头转接线, 方头14针转DB9M光电大头, 2.5米	42 	05 	<b>Nihon Kohden:</b> BSM-4101, 4103, 4111, 4113 Lifescope P; BSM-5100, 5105, 5135 Lifescope A; BSM-2300, 2301A, 2351, 2353 Lifescope L; BSM-2301, 2303 Lifescope I BSM-6310K, BSM-6501K, BSM-6701K, BSM-9510 Life Scope M; BSM-9800 Life Scope S; Life Scope TR, BSM-6000 series
TSR-4406	Adapter cable for Ohmeda compatible SpO2 short probe, L = 2.5m, HYP 7pin to Ohmeda 8 hole 欧美达兼容短线血氧探头转接线, HYP 7针转欧美达8孔, 2.5米	44 	06 	<b>Datex-Ohmeda:</b> 3740, 4700 Oxicap, 5250RGM, bIOX 3740, 3760, 3800 OxiCap <b>Ohmeda:</b> 3700, 3710, 3770, 3775, Rascall, GE Medical Systems: 7000 Series Coromestrics 511 TRAM A.R TRAM Modular X00SL Series Mennen: Horizon XL800 Ohmeda SpO2
TSR-4404	Adapter cable for Ohmeda compatible SpO2 short probe, L = 2.5m, HYP 7pin to T3-G3 type 欧美达兼容短线血氧探头转接线, HYP 7针转T3-G3母插, 2.5米	44 	04 	<b>GE-Ohmeda:</b> Trusat <b>Ohmeda:</b> Tuffsat, 3775, 37xx series, 3800, 3900, 3900P <b>Anaesthesia patient monitor:</b> 4700, 5250RGM <b>Datex:</b> S/5, AS/3, CS/3
TSR-4606	Adapter cable for Ohmeda compatible SpO2 short probe, L = 2.5m, DB 9pin to Ohmeda 8 hole 欧美达兼容短线血氧探头转接线, DB9针转欧美达8孔, 2.5米	46 	06 	<b>GE-Ohmeda:</b> Sensor solutions for GE Ohmeda Trusat Pulse Oximeter
TSR-4702	Adapter cable for HP Philips M1943A Nellcor compatible SpO2 short probe, L = 2.5m, D shape 8pin to DB9M new type 惠普M1943A奈普特兼容短线血氧探头转接线, D型8针转DB9M新款大头, 2.5米	47 	02 	<b>Philips:</b> M3, M4, M3046, MP20, MP30, MP40, MP50, MP70, MP80, VM4, VM6, VM8, Heartstream XL, Intelliview MP70, M2601A, M3000A, M3500B, M4735A, M1020B, M3000A/M3001A MMS, M3002A MMS X2, M8102A MP2, M8105A MP5, SureSigns VS2, VS3, Defibrillator Monitor: M4735A
TSR-4707	Adapter cable for Philips M1941A compatible SpO2 short probe, L = 2.5m, D shape 8pin to D shape 8 hole 飞利浦M1941A奈普特兼容短线血氧探头转接线, D型8针转D型8孔母头, 2.5米	47 	07 	<b>Philips:</b> M2601A, M3000A, M3500 B, M4735A, MRx, SureSigns VS2, VS3.
TSR-4802	Adapter cable for Philips M1900B nellcor compatible SpO2 short probe, L = 2.5m, Round 12pin to DB9M new type 飞利浦M1900B奈普特兼容短线血氧探头转接线, 圆头12针转DB9M新款大头, 2.5米	48 	02 	<b>Philips:</b> 78352C, 78354C, 78834C, M1020A, M1025B, M1205A, M1350B, M1722A/B, M1732A/B, M2475B, Viridia A1, Viridia A3;

PART NO 型号	DESCRIPTION 产品描述	CONNECTOR TYPE 连接器类型	ADAPTER TYPE 转接器类型	COMPATIBLE MODEL 兼容机型
TSR-4807	Adapter cable for Philips M1900B nellcor compatible SpO2 short probe, L = 2.5m, Round 12pin to DB9M new type 飞利浦M1900B奈普特兼容短线血氧探头转接线，圆头12针转D型8孔母头，2.5米	48 	07 	<b>Philips:</b> M2475B, M1732A/B, M1722A/B, M1020A, 78833C, 78833A, 78834A, 78352C, 78352A;
TSR-4902	Adapter cable for Pace Tech Nellcor compatible SpO2 short probe, L = 2.5m, mini 5pin female to DB9M new type 百思特奈普特兼容短线血氧探头转接线，5针迷你母插转DB9M新款大头，2.5米	49 	02 	<b>Generra:</b> 710, 200, 300, 400, 810, 530 <b>Pace Tech:</b> Modell 520 all w/black face (except Vitalmax 800w/Nellcor SpO2)
TSR-5202	Adapter cable for S&W Nellcor compatible SpO2 short probe, L = 2.5m, Round 10socket to DB9M new type 阿提玛奈普特兼容短线血氧探头转接线，10针圆头母插转DB9M新款大头，2.5米	52 	02 	<b>S&amp;W:</b> Diascope G2 Diascope 1 Diascope 2 Diascope 3
TSR-5301	Adapter cable for Schiller Nellcor compatible SpO2 short probe, L = 2.5m, Din 7pin to DB9M old type 席勒奈普特兼容短线血氧探头转接线，7针DIN插转DB9M旧款小头，2.5米	53 	01 	<b>Schiller:</b> Argus TM-7
TSP-5302M	Adapter cable for Schiller Masimo LNCS compatible SpO2 short probe, L = 2.5m, Din 7pin to DB9M new type 席勒马西莫兼容短线血氧探头转接线，7针DIN插转DB9M新款大头，2.5米	53 	02 	<b>Schiller (Masimo module):</b> Argus LCM
TSR-5402	Adapter cable for Simens Nellcor compatible SpO2 short probe, L = 2.5m, Round 10pin to DB9M new type 西门子奈普特兼容短线血氧探头圆头10针转DB9M新款大头，2.5米	54 	02 	<b>Siemens Medical:</b> Sirecust 700, Sirecust 630, Sirem module
TSR-5602	Adapter cable for Spacelabs Nellcor compatible SpO2 short probe, L = 2.5m, Square 10socket to DB9M new type 太空奈普特兼容短线血氧探头方头10针母插转DB9M新款大头，2.5米	56 	02 	<b>Spacelabs:</b> 1050, 1600, 1700, 90369, 90469, 90469 Ultraview





PART NO 型号	DESCRIPTION 产品描述	CONNECTOR TYPE 连接器类型	ADAPTER TYPE 转接器类型	COMPATIBLE MODEL 兼容机型
TSR-6302	Adapter cable for Goldway Nellcor compatible SpO2 short probe, L = 2.5m, Push-pull 5pin to DB9M new type 金科威奈普特兼容短线血氧探头转接线，5针自锁推拉插头转DB9M新款大头，2.5米	63 	02 	<b>Goldway:</b> UT4000A,UT4000C 4000B PACE TECH





**TRISEL** is registered trademark of Shenzhen Trisel Technology Co., Ltd. Other products, logos and company names mentioned herein maybe trademarks of their respective owners and are not to be taken as an endorsement or affiliation with **TRISEL**






PROBE TYPE探头类型					
PART NO 型号	DESCRIPTION 产品描述	CONNECTOR TYPE 连接器类型	PROBE TYPE 探头类型	COMPATIBLE MODEL 兼容机型	EMITTER 传感器
Adult Finger Clip 成人指夹	Pediatric Finger Clip 儿童指夹	Adult / Pediatric Silicone 成人 / 儿童硅胶套	Neonate Silicone Wrap 新生儿硅胶绑带	Adult Ear Clip 成人耳夹	Animal SpO2 sensor 兽用传感器
Application: Adult > 30KG 适用人群: 成人大于30KG	Application: Pediatric > 10-50KG 适用人群: 儿童 10-50KG	Application: Adult > 30KG Pediatric > 10- 50KG 适用人群: 成人大于30KG 适用人群: 儿童 10-50KG	Application: Neonate <3 KG Infant 1-20KG; Pediatric 10-50KG 适用人群: 新生儿 <3 KG; 婴儿 1-20KG; 儿童 10-50KG	Application: Adult > 30KG 适用人群: 成人 > 30KG Application site: Ear 适用部位: 耳朵	Application: Dog, Cat 适用动物: 狗, 猫 Application site: Ear, Tongue 适用部位: 耳朵, 舌头
TSR-0101-3	Reusable SpO2 direct probe for BCI DB 9 pin, L = 3m 重复性BCI DB 9针一体式血氧饱和度探头, 3米	01 	Adult Finger Clip 成人指夹	<b>BCI (Smiths Medical):</b> 3100,3101,3300,3301,3302,3303,3304,3401,6100,9100 <b>Spacelabs (OSI)</b> <b>Burdick:</b> PRO2; <b>Drager:</b> Drager Oxipac 2000/2500; <b>Digicare:</b> Digimax 5500 <b>Invacare:</b> All <b>Lynn Medical:</b> All	660/905-2
TSR-0102-3			Pediatric Finger Clip 儿童指夹		
TSR-0103-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-0104-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-0105-3			Adult Ear Clip 成人耳夹		
TSR-0106-3			Animal SpO2 sensor 兽用传感器		
TSR-0101-1	Reusable SpO2 direct probe for BCI DB 9 pin, L = 1m 重复性BCI DB 9针一体式血氧饱和度探头, 1米	01 	Adult Finger Clip 成人指夹	<b>BCI (Smiths Medical):</b> 3100,3101,3300,3301,3302,3303,3304,3401,6100,9100 <b>Spacelabs (OSI)</b> <b>Burdick:</b> PRO2; <b>Drager:</b> Drager Oxipac 2000/2500; <b>Digicare:</b> Digimax 5500 <b>Invacare:</b> All <b>Lynn Medical:</b> All	660/905-2
TSR-0102-1			Pediatric Finger Clip 儿童指夹		
TSR-0103-1			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-0104-1			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-0105-1			Adult Ear Clip 成人耳夹		
TSR-0106-1			Animal SpO2 sensor 兽用传感器		
TSR-0201-3	Reusable SpO2 direct probe for BCI round 7 pin, L = 3m 重复性BCI 圆头7针一体式血氧饱和度探头, 3米	02 	Adult Finger Clip 成人指夹	<b>BCI (Smiths Medical):</b> 6100,9000;Advisor,Auto corr,Torr,Mini Torr Plus	660/905-2
TSR-0202-3			Pediatric Finger Clip 儿童指夹		
TSR-0203-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-0204-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-0205-3			Adult Ear Clip 成人耳夹		
TSR-0206-3			Animal SpO2 sensor 兽用传感器		

PART NO 型号	DESCRIPTION 产品描述	CONNECTOR TYPE 连接器类型	PROBE TYPE 探头类型	COMPATIBLE MODEL 兼容机型	EMITTER 传感器
TSR-0301-3	Reusable Digital output SpO2 direct probe for Biolight round 5 pin, L = 3m 重复性数字型宝莱特圆头5针一体式血氧饱和度探头, 3米		Adult Finger Clip 成人指夹	宝莱特Biolight: M69, M6, M12, M7000, M8000, M9000, BTD-352A 成都汇智达hstar	660/905-2
TSR-0302-3			Pediatric Finger Clip 儿童指夹		
TSR-0303-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-0304-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-0305-3			Adult Ear Clip 成人耳夹		
TSR-0306-3			Animal SpO2 sensor 兽用传感器		
TSR-0401-1	Reusable Digital output SpO2 direct probe for Biolight DB 9 pin, L = 1m 重复性数字型宝莱特DB9针一体式血氧饱和度探头, 1米		Adult Finger Clip 成人指夹	宝莱特Biolight: M69, M6, M12, M7000, M8000, M9000, M9500, BTD-352A A models: AnyView A3, A5, A6, A8 M800 handheld oximeter	660/905-2
TSR-0402-1			Pediatric Finger Clip 儿童指夹		
TSR-0403-1			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-0404-1			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-0405-1			Adult Ear Clip 成人耳夹		
TSR-0406-1			Animal SpO2 sensor 兽用传感器		
TSR-0501-3	Reusable Digital output SpO2 direct probe for Biolight Round 12 pin, L = 3m 重复性数字型宝莱特圆头12针一体式血氧饱和度探头, 3米		Adult Finger Clip 成人指夹	宝莱特Biolight: M69, M6, M12, M7000, M8000, M9000, M9500, BTD-352A A models: AnyView A3, A5, A6, A8 M800 handheld oximeter	660/905-2
TSR-0502-3			Pediatric Finger Clip 儿童指夹		
TSR-0503-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-0504-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-0505-3			Adult Ear Clip 成人耳夹		
TSR-0506-3			Animal SpO2 sensor 兽用传感器		
TSR-0601-3	Reusable SpO2 direct probe for Bionet round 7 pin, L = 3m 重复性Bionet圆头7针一体式血氧饱和度探头, 3米		Adult Finger Clip 成人指夹	Bionet: BM3	660/905-2
TSR-0602-3			Pediatric Finger Clip 儿童指夹		
TSR-0603-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-0604-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-0605-3			Adult Ear Clip 成人耳夹		
TSR-0606-3			Animal SpO2 sensor 兽用传感器		







PART NO 型号	DESCRIPTION 产品描述	CONNECTOR TYPE 连接器类型	PROBE TYPE 探头类型	COMPATIBLE MODEL 兼容机型	EMITTER 传感器
TSR-0701-3	Reusable SpO2 direct probe for Bionet, AMP round 6 pin 30°, L = 3m 重复性Bionet AMP 30°圆头6针一体式血氧饱和度探头, 3米		Adult Finger Clip 成人指夹	<b>Bionet:</b> BM3, BM3 Plus	660/905-2
TSR-0702-3			Pediatric Finger Clip 儿童指夹		
TSR-0703-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-0704-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-0705-3			Adult Ear Clip 成人耳夹		
TSR-0706-3			Animal SpO2 sensor 兽用传感器		
TSR-0801-3	Reusable SpO2 direct probe for Biosys, mini round 6 pin, L = 3m 重复性Bionet 迷你圆头6针一体式血氧饱和度探头, 3米		Adult Finger Clip 成人指夹	<b>Biosys:</b> BPM300	660/905-2
TSR-0802-3			Pediatric Finger Clip 儿童指夹		
TSR-0803-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-0804-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-0805-3			Adult Ear Clip 成人耳夹		
TSR-0806-3			Animal SpO2 sensor 兽用传感器		
TSR-0901-3	Reusable SpO2 direct probe for Bruker (Odam), round 12 pin with one locating pin, L = 3m 重复性Bruker 圆头12针单定一体式血氧饱和度探头, 3米		Adult Finger Clip 成人指夹	<b>Bruker (Odam)</b> All as dc-3002, 1H, M3	660/905-2
TSR-0902-3			Pediatric Finger Clip 儿童指夹		
TSR-0903-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-0904-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-0905-3			Adult Ear Clip 成人耳夹		
TSR-0906-3			Animal SpO2 sensor 兽用传感器		
TSR-1001-3	Reusable SpO2 direct probe for Choice (Nellcor OxiMax module), push-pull 9pin connector 1 location, L = 3m 重复性超思自锁推拉9针单定一体式血氧饱和度探头, 3米		Adult Finger Clip 成人指夹	<b>Choice</b>	660/905-2
TSR-1002-3			Pediatric Finger Clip 儿童指夹		
TSR-1003-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-1004-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-1005-3			Adult Ear Clip 成人耳夹		
TSR-1006-3			Animal SpO2 sensor 兽用传感器		


PART NO 型号	DESCRIPTION 产品描述	CONNECTOR TYPE 连接器类型	PROBE TYPE 探头类型	COMPATIBLE MODEL 兼容机型	EMITTER 传感器
TSR-1101-3	Reusable SpO2 direct probe for GE Critikon, push-pull 7pin connector 1 location, L = 3m 重复性GE Critikon 自锁推拉7针单一体式血氧饱和度探头, 3米	11 	Adult Finger Clip 成人指夹	<b>GE Critikon:</b> Critikon Dinamap 8700, 8710; Critikon Dinamap 8720 Plus; Critikon Dinamap 8721, 9710, 9700; Critikon Dinamap 8280	660/905-2
TSR-1102-3			Pediatric Finger Clip 儿童指夹		
TSR-1103-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-1104-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-1105-3			Adult Ear Clip 成人耳夹		
TSR-1106-3			Animal SpO2 sensor 兽用传感器		
TSR-1201-3	Reusable SpO2 direct probe for CSI, DB 6pin Elbow, L=3m 重复性CSI DB6针弯头一体式血氧饱和度探头, 3米	12 	Adult Finger Clip 成人指夹	<b>Alaris (IVAC):</b> Vital Check 4400 <b>CSI:</b> 503DX, 503Spot, 504DX, 506, 506DX, 507ELC2 Scholar III, 8100 poet Plus Poet (602-3A) (Sensor + Cable) Scholar (Sensor + Cable)	660/905-3
TSR-1202-3			Pediatric Finger Clip 儿童指夹		
TSR-1203-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-1204-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-1205-3			Adult Ear Clip 成人耳夹		
TSR-1206-3			Animal SpO2 sensor 兽用传感器		
TSR-1201-1	Reusable SpO2 direct probe for CSI, DB 6pin Elbow, L=3m 重复性CSI DB6针弯头一体式血氧饱和度探头, 1米	12 	Adult Finger Clip 成人指夹	<b>Alaris (IVAC):</b> Vital Check 4400 <b>CSI:</b> 503DX, 503Spot, 504DX, 506, 506DX, 507ELC2 Scholar III, 8100 poet Plus Poet (602-3A) (Sensor + Cable) Scholar (Sensor + Cable)	660/905-3
TSR-1202-1			Pediatric Finger Clip 儿童指夹		
TSR-1203-1			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-1204-1			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-1205-1			Adult Ear Clip 成人耳夹		
TSR-1206-1			Animal SpO2 sensor 兽用传感器		
TSR-1301-3	Reusable SpO2 direct probe for CSI, push-pull connector 5pin 1 location, L=3m 重复性CSI 自锁推拉5针单一体式血氧饱和度探头, 3米	13 	Adult Finger Clip 成人指夹	<b>CSI:</b> Scholar, Poet (602-3A); CSI: 1100, 581, 508, 507, 507SD, 504, 503, 501 <b>Mindral:</b> 500A, 508, 509	660/905-3
TSR-1302-3			Pediatric Finger Clip 儿童指夹		
TSR-1303-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-1304-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-1305-3			Adult Ear Clip 成人耳夹		
TSR-1306-3			Animal SpO2 sensor 兽用传感器		





PART NO 型号	DESCRIPTION 产品描述	CONNECTOR TYPE 连接器类型	PROBE TYPE 探头类型	COMPATIBLE MODEL 兼容机型	EMITTER 传感器
TSR-1401-3	Reusable Digital Output SpO2 direct probe for COMEN, push-pull connector 6pin 1 location, L=3m 重复性科曼自锁推拉6针单定一体式血氧饱和度探头, 3米	14  	Adult Finger Clip 成人指夹	<b>COMED STAR:</b> 8000A, 8000B, 8000C, 8000D, 8000E	660/905-2
TSR-1402-3			Pediatric Finger Clip 儿童指夹		
TSR-1403-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-1404-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-1405-3			Adult Ear Clip 成人耳夹		
TSR-1406-3			Animal SpO2 sensor 兽用传感器		
TSR-1501-3	Reusable SpO2 direct probe for Datascope, 8pin DIN connector, L = 3m 重复性Datascope 8针DIN 插头一体式血氧饱和度探头, 3米	15 	Adult Finger Clip 成人指夹	<b>Datascope:</b> Accutorr 3, Accutorr 4, SAT Accutorr Plus, Passport 9 Database SpO2	660/940-3
TSR-1502-3			Pediatric Finger Clip 儿童指夹		
TSR-1503-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-1504-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-1505-3			Adult Ear Clip 成人耳夹		
TSR-1506-3			Animal SpO2 sensor 兽用传感器		
TSR-1601-3	Reusable SpO2 direct probe for Datascope, DB 9pin connector in 4 openings, L = 3m 重复性Datascope DB9 针4开口一体式血氧饱和度探头, 3米	16 	Adult Finger Clip 成人指夹	<b>Datascope:</b> Accutorr 3, Accutorr 4, SAT Accutorr Plus, Passport 9 Database SpO2	660/940-3
TSR-1602-3			Pediatric Finger Clip 儿童指夹		
TSR-1603-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-1604-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-1605-3			Adult Ear Clip 成人耳夹		
TSR-1606-3			Animal SpO2 sensor 兽用传感器		
TSR-1701-3	Reusable SpO2 direct probe for Datex, DB6 pin Elbow, L = 3m 重复性德恩DB6针弯头一体式血氧饱和度探头, 3米	17 	Adult Finger Clip 成人指夹	<b>Datex:</b> AS/3, CS/3, CH/S, CH/2S, CH-RS, CG/2S, Cardiocap 1, Cardiocap 1L, Cardiocap 5, Capnomac Ultima, Light Monitor, M-Estpr, Oscar 11, OSP-200, Satlite Trans Plus, System 5, ULTS00	660/905-3
TSR-1702-3			Pediatric Finger Clip 儿童指夹		
TSR-1703-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-1704-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-1705-3			Adult Ear Clip 成人耳夹		
TSR-1706-3			Animal SpO2 sensor 兽用传感器		





PART NO 型号	DESCRIPTION 产品描述	CONNECTOR TYPE 连接器类型	PROBE TYPE 探头类型	COMPATIBLE MODEL 兼容机型	EMITTER 传感器
TSR-1801-3	Reusable Digital Output SpO2 direct probe for OSI, SCSI 14pin, L = 3m 重复性数字型海豚SCSI 14针一体式血氧饱和度探头, 3米		Adult Finger Clip 成人指夹	<b>Dolphin ONE</b> Oximeters 2150/2100 Compatible for 2G00751	660/905-4
TSR-1802-3			Pediatric Finger Clip 儿童指夹		
TSR-1803-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-1804-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-1805-3			Adult Ear Clip 成人耳夹		
TSR-1806-3			Animal SpO2 sensor 兽用传感器		
TSR-1901-3	Reusable Digital Output SpO2 direct probe for OSI, DB 8pin 1 location, L = 3m 重复性数字型海豚DB8 针单一体式血氧饱和度探头, 3米		Adult Finger Clip 成人指夹	<b>Dolphin ONE</b> Oximeters 2150/2100 Compatible for 2G00751	660/905-2
TSR-1902-3			Pediatric Finger Clip 儿童指夹		
TSR-1903-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-1904-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-1905-3			Adult Ear Clip 成人耳夹		
TSR-1906-3			Animal SpO2 sensor 兽用传感器		
TSR-2001-3	Reusable SpO2 direct probe for Draeger, round 7pin, L = 3m 重复性圆头7针一体式血氧饱和度探头, 3米		Adult Finger Clip 成人指夹	<b>Draeger Siemens:</b> SC6002XL, 7000, SC8000, SC9000XL	660/905-2
TSR-2002-3			Pediatric Finger Clip 儿童指夹		
TSR-2003-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-2004-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-2005-3			Adult Ear Clip 成人耳夹		
TSR-2006-3			Animal SpO2 sensor 兽用传感器		
TSR-2101-3	Reusable SpO2 direct probe for Goldway, 5pin push-pull connector, 1 location, L = 3m 重复性金科威自锁推拉5 针单一体式血氧饱和度探头, 3米		Adult Finger Clip 成人指夹	<b>Goldway金科威:</b> UT4000, UT4000A, UT4000B, UT4000C <b>ANKE安科:</b> 553 <b>JERRY山西洁瑞</b> <b>WANDONG万东</b> <b>SHENMAI深迈:</b> KP900 <b>SHIPALION牌:</b> KMI-1000 <b>PACE TECH</b>	660/905-2
TSR-2102-3			Pediatric Finger Clip 儿童指夹		
TSR-2103-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-2104-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-2105-3			Adult Ear Clip 成人耳夹		
TSR-2106-3			Animal SpO2 sensor 兽用传感器		





PART NO 型号	DESCRIPTION 产品描述	CONNECTOR TYPE 连接器类型	PROBE TYPE 探头类型	COMPATIBLE MODEL 兼容机型	EMITTER 传感器
TSR-2201-3	Reusable SpO2 direct probe for Goldway, 8pin D type connector, L = 3m, with resistance of 9.1kΩ 重复性金科威D型8针一体式血氧饱和度探头, 3米, 识别电阻: 9.1kΩ	22 	Adult Finger Clip 成人指夹	<b>Goldway金科威:</b> UT6000A	660/905-2
TSR-2202-3			Pediatric Finger Clip 儿童指夹		
TSR-2203-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-2204-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-2205-3			Adult Ear Clip 成人耳夹		
TSR-2206-3			Animal SpO2 sensor 兽用传感器		
TSR-2301-3	Reusable SpO2 direct probe for GE Marquette, Square 11pin connector, Ohmeda module, L = 3m 重复性GE马奎方型11针一体式血氧饱和度探头, 兼容欧美达模块, 3米	23 	Adult Finger Clip 成人指夹	<b>GE Marquette System:</b> Eagle GE, Dash GE, SOLAR GE, TRAM Modular and X50sl Series, GE Careescape Dinamap	660/905-2
TSR-2302-3			Pediatric Finger Clip 儿童指夹		
TSR-2303-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-2304-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-2305-3			Adult Ear Clip 成人耳夹		
TSR-2306-3			Animal SpO2 sensor 兽用传感器		
TSR-2401M-3	Reusable SpO2 direct probe for GE Marquette, Square 11pin connector, Masimo LNCS module, L = 3m 重复性GE马奎方型11针一体式血氧饱和度探头, 兼容马西莫模块, 3米	24 	Adult Finger Clip 成人指夹	<b>GE-Marquette (Masimo LNCS module):</b> Dash 2000, 3000, 4000, 5000 Solar 7000, 8000, Eagle 1000, 3000, SMK, SMV	660/905-2
TSR-2402M-3			Pediatric Finger Clip 儿童指夹		
TSR-2403M-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-2404M-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-2405M-3			Adult Ear Clip 成人耳夹		
TSR-2406M-3			Animal SpO2 sensor 兽用传感器		
TSR-2401X-3	Reusable SpO2 direct probe for GE Marquette, Square 11pin connector, Nellcor OxiMax module, L = 3m 重复性GE马奎方型11针一体式血氧饱和度探头, 兼容OxiMax模块, 3米	24 	Adult Finger Clip 成人指夹	<b>GE-Marquette (OxiMax module):</b> GE Careescape Dinamap V100, Dash 2500, 3000, 4000, 5000, Solar 8000, Solar 8000M, i9500 with Tram module, 451N5/851N5, GE 250CX	660/905-2
TSR-2302X-3			Pediatric Finger Clip 儿童指夹		
TSR-2303X-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-2304X-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-2305X-3			Adult Ear Clip 成人耳夹		
TSR-2306X-3			Animal SpO2 sensor 兽用传感器		







PART NO 型号	DESCRIPTION 产品描述	CONNECTOR TYPE 连接器类型	PROBE TYPE 探头类型	COMPATIBLE MODEL 兼容机型	EMITTER 传感器
TSR-2501-3	Reusable SpO2 direct probe for GE Hellige, Round 10pin connector, L = 3m 重复性GE海力格圆头10针一体式血氧饱和度探头, 3米	25 	Adult Finger Clip 成人指夹	<b>GE Hellige:</b> Servomed 4, Generation SCP844, 851, 852, SCS 804, SMK 151, 153, 154, 155-1, 156, 157, 181, 182, SMV 104T, 107, 111, 168, SMS 316, SMC108, SMV104, Servomed N4, Servomed, Serie, Cardioserv, Vicom SM, SMU 511, 611, 612, 630 Serie, SMK-200, 210, 211, 230, 231, 240, 250	660/905-2
TSR-2502-3			Pediatric Finger Clip 儿童指夹		
TSR-2503-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-2504-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-2505-3			Adult Ear Clip 成人耳夹		
TSR-2506-3			Animal SpO2 sensor 兽用传感器		
TSR-2601M-3	Reusable SpO2 direct probe for Invivo, 7pin push-pull connector with 1 location pin, Masimo LNCS Module, L = 3m 重复性英威自锁推拉7针单定一体式血氧饱和度探头, 马西莫模块, 3米	26 	Adult Finger Clip 成人指夹	<b>Invivo (Masimo LNCS module):</b> M8	660/905-2
TSR-2602M-3			Pediatric Finger Clip 儿童指夹		
TSR-2603M-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-2604M-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-2605M-3			Adult Ear Clip 成人耳夹		
TSR-2606M-3			Animal SpO2 sensor 兽用传感器		
TSR-2601-3	Reusable SpO2 direct probe for Invivo, 7pin push-pull connector with 1 location pin, Nellcor Module, L = 3m 重复性英威自锁推拉7针单定一体式血氧饱和度探头, 奈普特模块, 3米	26 	Adult Finger Clip 成人指夹	<b>Invivo:</b> 4500, 4500 Plus, Millenia, Omega 1445, Omni-Trak TVS, Sat Scout	660/905-2
TSR-2602-3			Pediatric Finger Clip 儿童指夹		
TSR-2603-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-2604-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-2605-3			Adult Ear Clip 成人耳夹		
TSR-2606-3			Animal SpO2 sensor 兽用传感器		
TSR-2701-3	Reusable SpO2 direct probe for Kontron, 12pin round connector with 1 location pin, L = 3m 重复性康强圆头12针单定一体式血氧饱和度探头, 3米	27 	Adult Finger Clip 成人指夹	<b>Kontron:</b> 7138, 7840, 7845, Minmon 7137, Micromon, Supermon, Kolomon, Trakmon	660/905-2
TSR-2702-3			Pediatric Finger Clip 儿童指夹		
TSR-2703-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-2704-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-2705-3			Adult Ear Clip 成人耳夹		
TSR-2706-3			Animal SpO2 sensor 兽用传感器		





PART NO 型号	DESCRIPTION 产品描述	CONNECTOR TYPE 连接器类型	PROBE TYPE 探头类型	COMPATIBLE MODEL 兼容机型	EMITTER 传感器
TSR-2801-3	Reusable SpO2 direct probe for Kernel, 5pin push-pull connector with 1 location pin, L = 3m 重复性科诺自锁推拉5针单定一体式血氧饱和度探头, 3米	28 	Adult Finger Clip 成人指夹	<b>Kernel:</b> KN601M	660/905-2
TSR-2802-3			Pediatric Finger Clip 儿童指夹		
TSR-2803-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-2804-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-2805-3			Adult Ear Clip 成人耳夹		
TSR-2806-3			Animal SpO2 sensor 兽用传感器		
TSR-2901-3	Reusable SpO2 direct probe for Lohmeier, 6pin square connector, L = 3m 重复性隆美尔方型6针一体式血氧饱和度探头, 3米	29 	Adult Finger Clip 成人指夹	<b>Lohmeier:</b> Monitor M010	660/905-2
TSR-2902-3			Pediatric Finger Clip 儿童指夹		
TSR-2903-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-2904-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-2905-3			Adult Ear Clip 成人耳夹		
TSR-2906-3			Animal SpO2 sensor 兽用传感器		
TSR-3001-3	Reusable SpO2 direct probe for Masimo, SCS1 14pin , L = 3m 重复性马西莫SCSI 14针一体式血氧饱和度探头, 3米	30 	Adult Finger Clip 成人指夹	<b>Masimo:</b> All <b>MDE:</b> EscortII OPT30: Prism <b>GE Marquette:</b> PRO1000, V300 <b>INVIVO:</b> T8 <b>Schiller, ZPLL</b> <b>Datascope:</b> Trio, Passport 2	660/905-2
TSR-3002-3			Pediatric Finger Clip 儿童指夹		
TSR-3003-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-3004-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-3005-3			Adult Ear Clip 成人耳夹		
TSP-3006-3			Animal SpO2 sensor 兽用传感器		
TSR-3101-3	Reusable SpO2 direct probe for M&B, HYP 7pin with 1 location , L = 3m 重复性麦邦HYP7针单定一体式血氧饱和度探头, 3米	31 	Adult Finger Clip 成人指夹	<b>M&amp;B:</b> CD2000, CD2000+, MB526T8, MB526+tw, MB526, MB526+, MB256T12 Joinscience 西润: CD2000	660/905-2
TSR-3102-3			Pediatric Finger Clip 儿童指夹		
TSR-3103-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-3104-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-3105-3			Adult Ear Clip 成人耳夹		
TSR-3106-3			Animal SpO2 sensor 兽用传感器		





PART NO 型号	DESCRIPTION 产品描述	CONNECTOR TYPE 连接器类型	PROBE TYPE 探头类型	COMPATIBLE MODEL 兼容机型	EMITTER 传感器
TSR-3201C-3	Reusable SpO2 direct probe for MEK, Round 8pin, L = 3m 重复性美克圆头8针一体式血氧饱和度探头, 3米		Adult Finger Clip 成人指夹	<b>REF:</b> MIS3AH-1 MEK ICS: MP-1000NT TYPE: MEK (CSI Module)	660/905-3
TSR-3202C-3			Pediatric Finger Clip 儿童指夹		
TSR-3203C-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-3204C-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-3205C-3			Adult Ear Clip 成人耳夹		
TSR-3206C-3			Animal SpO2 sensor 兽用传感器		
TSR-3201-3	Reusable SpO2 direct probe for MEK, Round 8pin, L = 3m 重复性美克圆头8针一体式血氧饱和度探头, 3米		Adult Finger Clip 成人指夹	<b>MEK:</b> MP1000 (NELLCOR Module)	660/905-2
TSR-3202-3			Pediatric Finger Clip 儿童指夹		
TSR-3203-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-3204-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-3205-3			Adult Ear Clip 成人耳夹		
TSR-3206-3			Animal SpO2 sensor 兽用传感器		
TSR-3301C-3	Reusable SpO2 direct probe for MEK, Square 6 pin, L = 3m 重复性美克方头6针一体式血氧饱和度探头, 3米		Adult Finger Clip 成人指夹	<b>MEK:</b> MP-100, MP110, MP400, MP500, MP600, MP1000 CSI module	660/905-3
TSR-3302C-3			Pediatric Finger Clip 儿童指夹		
TSR-3303C-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-3304C-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-3305C-3			Adult Ear Clip 成人耳夹		
TSR-3206C-3			Animal SpO2 sensor 兽用传感器		
TSR-3401-3	Reusable SpO2 direct probe for Mindray, 6pin push-pull connector 40°, Mindray Module, L = 3m 重复性迈瑞6针40度自锁推拉一体式血氧饱和度探头, 3米, 迈瑞普通模块		Adult Finger Clip 成人指夹	<b>MINDRAY:</b> PM7000, PM8000, PM9000, PM6201, VS8000, MEC-1000 <b>Creative:</b> PC9000, UP6000 <b>Biocare:</b> BM9000	660/905-2
TSR-3402-3			Pediatric Finger Clip 儿童指夹		
TSR-3403-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-3404-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-3405-3			Adult Ear Clip 成人耳夹		
TSR-3406-3			Animal SpO2 sensor 兽用传感器		





PART NO 型号	DESCRIPTION 产品描述	CONNECTOR TYPE 连接器类型	PROBE TYPE 探头类型	COMPATIBLE MODEL 兼容机型	EMITTER 传感器
TSR-3401M-3	Reusable SpO2 direct probe for Mindray, 6pin push-pull connector 40°, Masimo LNCS Module, L = 3m 重复性迈瑞6针40度自锁推拉一体式血氧饱和度探头, 3米, 马西莫模块		Adult Finger Clip 成人指夹	<b>MINDRAY (Masimo LNCS module):</b> PM9000, PM9100, PM9200, PM-6201, 7000, 8000, MIKO, M2KO (Before Jan 2006)	660/905-2
TSR-3402M-3			Pediatric Finger Clip 儿童指夹		
TSR-3403M-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-3404M-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-3405M-3			Adult Ear Clip 成人耳夹		
TSR-3406M-3			Animal SpO2 sensor 兽用传感器		
TSR-3501M-3	Reusable SpO2 direct probe for Mindray, 6pin push-pull connector 60°, Masimo Module, L = 3m 重复性迈瑞6针40度自锁推拉一体式血氧饱和度探头, 3米, 马西莫模块		Adult Finger Clip 成人指夹	<b>MINDRAY (Masimo LNCS module):</b> PM9000 express (Masimo), PM8002, 9201, (6201, 7000, 8000, M1K0, M2K0 Since 2006), T8	660/905-2
TSR-3502M-3			Pediatric Finger Clip 儿童指夹		
TSR-3503M-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-3504M-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-3505M-3			Adult Ear Clip 成人耳夹		
TSR-3506M-3			Animal SpO2 sensor 兽用传感器		
TSR-3601-3	Reusable SpO2 direct probe for Mindray, Round 7pin, Mindray Module, L = 3m 重复性迈瑞圆头7pin一体式血氧饱和度探头, 3米, 迈瑞普通模块		Adult Finger Clip 成人指夹	<b>MINDRAY:</b> PM6800, Beneview T5, iPM 8, iPM 10, iPM 12, iPM 9800	660/905-2
TSR-3602-3			Pediatric Finger Clip 儿童指夹		
TSR-3603-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-3604-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-3605-3			Adult Ear Clip 成人耳夹		
TSR-3606-3			Animal SpO2 sensor 兽用传感器		
TSR-3701M-3	Reusable SpO2 direct probe for Mindray, Round 7pin, Masimo Module, L = 3m 重复性迈瑞圆头7pin一体式血氧饱和度探头, 3米, 马西莫模块		Adult Finger Clip 成人指夹	<b>MINDRAY (Masimo LNCS module):</b> PM6800, Beneview T5, iPM 8, iPM 10, iPM 12, iPM 9800	660/905-2
TSR-3702M-3			Pediatric Finger Clip 儿童指夹		
TSR-3703M-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-3704M-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-3705M-3			Adult Ear Clip 成人耳夹		
TSR-3706M-3			Animal SpO2 sensor 兽用传感器		

PART NO 型号	DESCRIPTION 产品描述	CONNECTOR TYPE 连接器类型	PROBE TYPE 探头类型	COMPATIBLE MODEL 兼容机型	EMITTER 传感器
TSR-3801B-3	Reusable SpO2 direct probe for Mindray, Round 12pin, BCI module, L = 3m 重复性迈瑞圆头曲头12针一体式血氧饱和度探头, 3米, BCI模块		Adult Finger Clip 成人指夹	<b>MINDRAY:</b> PM5000, PM6000	660/905-2
TSR-3802B-3			Pediatric Finger Clip 儿童指夹		
TSR-3803B-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-3804B-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-3805B-3			Adult Ear Clip 成人耳夹		
TSR-3806B-3			Animal SpO2 sensor 兽用传感器		
TSR-3801M-3	Reusable SpO2 direct probe for Mindray, Round 12pin, Masimo LNCS module, L = 3m 重复性迈瑞圆头曲头12针一体式血氧饱和度探头, 3米, 马西莫模块		Adult Finger Clip 成人指夹	<b>MINDRAY (Masimo LNCS module):</b> PM5000, PM6000	660/905-3
TSR-3802M-3			Pediatric Finger Clip 儿童指夹		
TSR-3803M-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-3804M-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-3805M-3			Adult Ear Clip 成人耳夹		
TSR-3806M-3			Animal SpO2 sensor 兽用传感器		
TSR-3901X-3	Reusable SpO2 direct probe for Nellcor, AMP 14pin, Nellcor OxiMax Tech, L = 3m 重复性奈普特加密蓝色SCSI14针一体式血氧饱和度探头, 3米		Adult Finger Clip 成人指夹	<b>NELLCOR:</b> OXI TECH N550, N595, N560	660/905-2
TSR-3902X-3			Pediatric Finger Clip 儿童指夹		
TSR-3903X-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-3904X-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-3905X-3			Adult Ear Clip 成人耳夹		
TSR-3906X-3			Animal SpO2 sensor 兽用传感器		
TSR-3901-3	Reusable SpO2 direct probe for Nellcor, AMP 14pin, Nellcor Tech, L = 3m 重复性奈普特SCSI14针一体式血氧饱和度探头, 3米		Adult Finger Clip 成人指夹	<b>Datascope:</b> Accutorr Plus (Nellcor) <b>Nellcor:</b> NPB-290, NPB-295, N-390, N-395, N-3000, N-6000 <b>Nihon Kohden:</b> BSM-4104A, BSM-4114A Colin: BP88, BP306	660/905-2
TSR-3902-3			Pediatric Finger Clip 儿童指夹		
TSR-3903-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-3904-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-3905-3			Adult Ear Clip 成人耳夹		
TSR-3906-3			Animal SpO2 sensor 兽用传感器		











PART NO 型号	DESCRIPTION 产品描述	CONNECTOR TYPE 连接器类型	PROBE TYPE 探头类型	COMPATIBLE MODEL 兼容机型	EMITTER 传感器
TSR-4001-3	Reusable SpO2 direct probe for Novamatrix, HYP 6pin, L = 3m 重复性诺医HYP 7针一体式血氧饱和度探头, 3米	40 	Adult Finger Clip 成人指夹	<b>Novamatrix:</b> 505, 510, 511, 515B, 515C, 520, 7000, 7100, Oxypleth <b>Spacelabs:</b> 93051D, 93051G, 90465, 90466, 90467, 90489, 90651-07, 90651-08, 90419-01, 90651A-07	660/940-3
TSR-4002-3			Pediatric Finger Clip 儿童指夹		
TSR-4003-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-4004-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-4005-3			Adult Ear Clip 成人耳夹		
TSR-4006-3			Animal SpO2 sensor 兽用传感器		
TSR-4101-3	Reusable SpO2 direct probe for Novamatrix, DB9pin with 2 openings, L = 3m 重复性诺医DB9针双开口一体式血氧饱和度探头, 3米	41 	Adult Finger Clip 成人指夹	<b>Novamatrix:</b> 505, 510, 511, 515B, 515C, 520, 7000, 7100, Oxypleth <b>Spacelabs:</b> 93051D, 93051G, 90465, 90466, 90467, 90489, 90651-07, 90651-08, 90419-01, 90651A-07	660/940-3
TSR-4102-3			Pediatric Finger Clip 儿童指夹		
TSR-4103-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-4104-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-4105-3			Adult Ear Clip 成人耳夹		
TSR-4106-3			Animal SpO2 sensor 兽用传感器		
TSR-4201-3	Reusable SpO2 direct probe for Nihon Kohden, Square 14pin, L = 3m 重复性日本光电方型14针一体式血氧饱和度探头, 3米	42 	Adult Finger Clip 成人指夹	<b>Nihon Kohden:</b> BSM-4101, 4103, 4111, 4113 Lifescope P; BSM-5105, 5135 Lifescope A; BSM-2351, 2353 Lifescope L BSM-2301, 2303 Lifescope I	660/940-3
TSR-4202-3			Pediatric Finger Clip 儿童指夹		
TSR-4203-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-4204-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-4205-3			Adult Ear Clip 成人耳夹		
TSR-4206-3			Animal SpO2 sensor 兽用传感器		
TSR-4301-3	Reusable SpO2 direct probe for Nihon Kohden, Round 11pin, L = 3m 重复性日本光电圆头11针一体式血氧饱和度探头, 3米	43 	Adult Finger Clip 成人指夹	<b>Nihon Kohden:</b> AL-800PA module BSM-1101 Lifescope EC BSM-2101, 2102 Lifescope L BSM-3101, 3102 Lifescope LC BSM-7100, 7200 Lifescope 8 BSM-8200, 8201 Lifescope 12 BSM-8800 Lifescope 14 OLV-1100A	660/905-2
TSR-4302-3			Pediatric Finger Clip 儿童指夹		
TSR-4303-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-4304-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-4305-3			Adult Ear Clip 成人耳夹		
TSR-4306-3			Animal SpO2 sensor 兽用传感器		

PART NO 型号	DESCRIPTION 产品描述	CONNECTOR TYPE 连接器类型	PROBE TYPE 探头类型	COMPATIBLE MODEL 兼容机型	EMITTER 传感器
TSR-4401-3	Reusable SpO2 direct probe for Ohmeda, HYP 7pin, L = 3m 重复性欧美达HYP 7针一体式血氧饱和度探头, 3米	44 	Adult Finger Clip 成人指夹	<b>Datex-Ohmeda:</b> 3740, 3710, 4700, Oxicap, 5250RGM, bIOX 3760 Ohmeda: 3700, 3770, 3775, Rascal, GE Medical Systems: 7000 Series Coromestrics 511 TRAM A.R TRAM Modular X00SL Series <b>Mennen:</b> Horizon XL800 Ohmeda SpO2	660/940-3
TSR-4402-3			Pediatric Finger Clip 儿童指夹		
TSR-4403-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-4404-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-4405-3			Adult Ear Clip 成人耳夹		
TSR-4406-3			Animal SpO2 sensor 兽用传感器		
TSR-4501-3	Reusable SpO2 direct probe for Ohmeda, Claw Button 8 pin, L = 3m 重复性欧美达爪式8针一体式血氧饱和度探头, 3米	45 	Adult Finger Clip 成人指夹	<b>GE-Ohmeda:</b> Trusat Ohmeda: Tuffsat, 3775 37xx series, 3800, 3900, 3900P Anaesthesia patient monitor: 4700, 5250RGM <b>Datex:</b> S/5, AS/3, CS/3	660/905/940-4
TSR-4502-3			Pediatric Finger Clip 儿童指夹		
TSR-4503-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-4504-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-4505-3			Adult Ear Clip 成人耳夹		
TSR-4506-3			Animal SpO2 sensor 兽用传感器		
TSR-4601-3	Reusable SpO2 direct probe for GE Ohmeda, DB 9 pin, L = 3m 重复性欧美达DB9针一体式血氧饱和度探头, 3米	46 	Adult Finger Clip 成人指夹	<b>GE-Ohmeda:</b> Sensor solutions for GE Ohmeda Trusat Pulse Oximeter	660/905/940-4
TSR-4602-3			Pediatric Finger Clip 儿童指夹		
TSR-4603-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-4604-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-4605-3			Adult Ear Clip 成人耳夹		
TSR-4606-3			Animal SpO2 sensor 兽用传感器		
TSR-4701-3	Reusable SpO2 direct probe for Philips, D shape 8 pin, L = 3m 重复性飞利浦D型8针一体式血氧饱和度探头, 3米	47 	Adult Finger Clip 成人指夹	<b>Philips:</b> M3, M4, M3046, MP20, MP30, MP40, MP50, MP70, MP80, VM4, VM6, VM8 Defibrillator Monitor: M4735A	660/905-2
TSR-4702-3			Pediatric Finger Clip 儿童指夹		
TSR-4703-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-4704-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-4705-3			Adult Ear Clip 成人耳夹		
TSR-4706-3			Animal SpO2 sensor 兽用传感器		

PART NO 型号	DESCRIPTION 产品描述	CONNECTOR TYPE 连接器类型	PROBE TYPE 探头类型	COMPATIBLE MODEL 兼容机型	EMITTER 传感器
TSR-4701-1	Reusable SpO2 direct probe for Philips, D shape 8 pin, L = 3m 重复性飞利浦D型8针一体式血氧饱和度探头, 1米	47 	Adult Finger Clip 成人指夹	<b>Philips:</b> M3, M4, M3046, MP20, MP30, MP40, MP50, MP70, MP80, VM4, VM6, VM8 Defibrillator Monitor: M4735A	660/905-2
TSR-4702-1			Pediatric Finger Clip 儿童指夹		
TSR-4703-1			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-4704-1			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-4705-1			Adult Ear Clip 成人耳夹		
TSR-4706-1			Animal SpO2 sensor 兽用传感器		
TSR-4801-3	Reusable SpO2 direct probe for Philips, Round 12 pin, L = 3m 重复性飞利浦圆头曲头12针一体式血氧饱和度探头, 3米	48 	Adult Finger Clip 成人指夹	<b>Philips:</b> 78352A, 78352C, 78354A, 78354C, 78834C, M1020A, M1025A, M1025B, M1205A, M1350B, M1722A, M1722B, M1723A, M1723B, M2475B, V24, V24E	660/905-2
TSR-4802-3			Pediatric Finger Clip 儿童指夹		
TSR-4803-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-4804-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-4805-3			Adult Ear Clip 成人耳夹		
TSR-4806-3			Animal SpO2 sensor 兽用传感器		
TSR-4901-3	Reusable SpO2 direct probe for Pace Tech, mini 5 pin, L = 3m 重复性伯斯特迷你5针一体式血氧饱和度探头, 3米	49 	Adult Finger Clip 成人指夹	<b>Generra:</b> 710, 200, 300, 400, 810, 530 <b>Pace Tech:</b> Modell 520 all w/black face (except Vitalmax 800w/Nellcor SpO2)	660/905-2
TSR-4902-3			Pediatric Finger Clip 儿童指夹		
TSR-4903-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-4904-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-4905-3			Adult Ear Clip 成人耳夹		
TSR-4906-3			Animal SpO2 sensor 兽用传感器		
TSR-5001-3	Reusable SpO2 direct probe for General, 7 pin push-pull connector with 1 location, L = 3m 重复性将军自锁推拉7针单定一体式血氧饱和度探头, 3米	50 	Adult Finger Clip 成人指夹	<b>General将军:</b> all series	660/905-2
TSR-5002-3			Pediatric Finger Clip 儿童指夹		
TSR-5003-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-5004-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-5005-3			Adult Ear Clip 成人耳夹		
TSR-5006-3			Animal SpO2 sensor 兽用传感器		

PART NO 型号	DESCRIPTION 产品描述	CONNECTOR TYPE 连接器类型	PROBE TYPE 探头类型	COMPATIBLE MODEL 兼容机型	EMITTER 传感器
TSR-5101-3	Reusable SpO2 direct probe for Palco, crystal plugs 6pin, L = 3m 重复性派克水晶头6针一体式血氧饱和度探头, 3米	51 	Adult Finger Clip 成人指夹	Palco: All	660/905-2
TSR-5102-3			Pediatric Finger Clip 儿童指夹		
TSR-5103-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-5104-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-5105-3			Adult Ear Clip 成人耳夹		
TSR-5106-3			Animal SpO2 sensor 兽用传感器		
TSR-5201-3	Reusable SpO2 direct probe for S&W Artema, Round 10 socket, L = 3m 重复性阿提玛圆头10孔一体式血氧饱和度探头, 3米	52 	Adult Finger Clip 成人指夹	S&W: Diascope G2 Diascope 1 Diascope 2 Diascope 3	660/905-2
TSR-5202-3			Pediatric Finger Clip 儿童指夹		
TSR-5203-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-5204-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-5205-3			Adult Ear Clip 成人耳夹		
TSR-5206-3			Animal SpO2 sensor 兽用传感器		
TSR-5301-3	Reusable SpO2 direct probe for Schiller, Round 7 pin, L = 3m Nellcor Module 重复性席勒圆头7pin一体式血氧饱和度探头, 3米奈普特模块	53 	Adult Finger Clip 成人指夹	Schiller: Argus TM-7	660/905-2
TSR-5302-3			Pediatric Finger Clip 儿童指夹		
TSR-5303-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-5304-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-5305-3			Adult Ear Clip 成人耳夹		
TSR-5306-3			Animal SpO2 sensor 兽用传感器		
TSP-5301M-3	Reusable SpO2 direct probe for Schiller, Round 7 pin, L = 3m Masimo LNCS Module 重复性席勒圆头7pin一体式血氧饱和度探头, 3米马西莫模块	53 	Adult Finger Clip 成人指夹	Schiller (Masimo LNCS module): Argus LCM	660/905-2
TSR-5302M-3			Pediatric Finger Clip 儿童指夹		
TSR-5303M-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-5304M-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-5305M-3			Adult Ear Clip 成人耳夹		
TSR-5306-3			Animal SpO2 sensor 兽用传感器		

PART NO 型号	DESCRIPTION 产品描述	CONNECTOR TYPE 连接器类型	PROBE TYPE 探头类型	COMPATIBLE MODEL 兼容机型	EMITTER 传感器
TSR-5401-3	Reusable SpO2 direct probe for Siemens, Round 10 pin, L = 3m 重复性西门子10针圆头一体式血氧饱和度探头, 3米	54 	Adult Finger Clip 成人指夹	<b>Siemens Medical:</b> Sirecust 700, Sirecust 630, Sirem module	660/905-2
TSR-5402-3			Pediatric Finger Clip 儿童指夹		
TSR-5403-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-5404-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-5405-3			Adult Ear Clip 成人耳夹		
TSR-5406-3			Animal SpO2 sensor 兽用传感器		
TSR-5501-3	Reusable SpO2 direct probe for Simed, HYP 7 pin, L = 3m 重复性百思特HYP 7针一体式血氧饱和度探头, 3米	55 	Adult Finger Clip 成人指夹	<b>Simed (Baxter):</b> Simed S-50 Simed S-100 Siemd S-100E	660/905-2
TSR-5502-3			Pediatric Finger Clip 儿童指夹		
TSR-5503-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-5504-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-5505-3			Adult Ear Clip 成人耳夹		
TSR-5506-3			Animal SpO2 sensor 兽用传感器		
TSR-5601-3	Reusable SpO2 direct probe for Spacelabs, Square 10 socket, L = 3m 重复性太空方型10孔一体式血氧饱和度探头, 3米	56 	Adult Finger Clip 成人指夹	<b>Spacelabs:</b> 1050,1600,1700,90369, 90469,90469Ultraview	660/905-2
TSR-5602-3			Pediatric Finger Clip 儿童指夹		
TSR-5603-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-5604-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-5605-3			Adult Ear Clip 成人耳夹		
TSR-5606-3			Animal SpO2 sensor 兽用传感器		
TSR-5701-3	Reusable SpO2 direct probe for Senmind, D type 8pin, L = 3m 重复性深迈D型8pin一体式血氧饱和度探头, 3米	57 	Adult Finger Clip 成人指夹	<b>senmind Medical:</b> KP-9000 <b>senmind Medical:</b> MP500,MP600, MP700,MP900F	660/905-2
TSR-5702-3			Pediatric Finger Clip 儿童指夹		
TSR-5703-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-5704-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-5705-3			Adult Ear Clip 成人耳夹		
TSR-5706-3			Animal SpO2 sensor 兽用传感器		

PART NO 型号	DESCRIPTION 产品描述	CONNECTOR TYPE 连接器类型	PROBE TYPE 探头类型	COMPATIBLE MODEL 兼容机型	EMITTER 传感器
TSR-5801-3	Reusable SpO2 direct probe for Zondan, Push-pull 6pin 1 locate connector, L = 3m 重复性和心重典自锁推拉6针单定一体式血氧饱和度探头, 3米	58 	Adult Finger Clip 成人指夹	<b>Zondan和心重典:</b> ZD120E, ZD120D, ZD120F, Apollo N1, Apollo N2, Apollo N3	660/905-2
TSR-5802-3			Pediatric Finger Clip 儿童指夹		
TSR-5803-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-5804-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-5805-3			Adult Ear Clip 成人耳夹		
TSR-5806-3			Animal SpO2 sensor 兽用传感器		
TSR-5901-3	Reusable SpO2 direct probe for GMI, Round 12 pin connector, L = 3m 重复性杰纳瑞圆头12针一体式血氧饱和度探头, 3米	59 	Adult Finger Clip 成人指夹	<b>GMI:</b> G3H, G3G, G3F, G3D, G3C, G3L, G6A, G6A Plus	660/905-2
TSR-5902-3			Pediatric Finger Clip 儿童指夹		
TSR-5903-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-5904-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-5905-3			Adult Ear Clip 成人耳夹		
TSR-5906-3			Animal SpO2 sensor 兽用传感器		
TSR-6001-3	Reusable SpO2 direct probe for Newtech, D type 8pin connector, L = 3m 重复性纽泰克D型8针一体式血氧饱和度探头, 3米	60 	Adult Finger Clip 成人指夹	<b>Newtech:</b> NT2A, NT2C	660/905-2
TSR-6002-3			Pediatric Finger Clip 儿童指夹		
TSR-6003-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-6004-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-6005-3			Adult Ear Clip 成人耳夹		
TSR-6006-3			Animal SpO2 sensor 兽用传感器		
TSR-6101-3	Reusable Digital Output SpO2 direct probe for Spring, push-pull 6pin 40°, L = 3m 重复性数字型施博瑞自锁推拉40度一体式血氧饱和度探头, 3米	61 	Adult Finger Clip 成人指夹	<b>Spring:</b> All	660/905-2
TSR-6102-3			Pediatric Finger Clip 儿童指夹		
TSR-6103-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-6104-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-6105-3			Adult Ear Clip 成人耳夹		
TSR-6106-3			Animal SpO2 sensor 兽用传感器		

























PART NO 型号	DESCRIPTION 产品描述	CONNECTOR TYPE 连接器类型	PROBE TYPE 探头类型	COMPATIBLE MODEL 兼容机型	EMITTER 传感器
TSR-6201-3	Reusable Digital Output SpO2 direct probe, DB9 pin 1 locate connector, L = 3m 重复性数字型DB9针双开口一体式血氧饱和度探头, 3米	62 	Adult Finger Clip 成人指夹	Newtech纽泰克 GMI杰纳瑞 COMED科曼 Spring施博瑞	660/905-2
TSR-6202-3			Pediatric Finger Clip 儿童指夹		
TSR-6203-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-6204-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-6205-3			Adult Ear Clip 成人耳夹		
TSR-6206-3			Animal SpO2 sensor 兽用传感器		
TSR-6301-3	Reusable SpO2 direct probe for Goldway, push-pull 5 pin connector, L = 3m 重复性金科威5针自锁推拉单定一体式血氧饱和度探头, 3米	63 	Adult Finger Clip 成人指夹	Goldway:UT4000A,UT4000C 4000B PACE TECH	660/905-2
TSR-6302-3			Pediatric Finger Clip 儿童指夹		
TSR-6303-3			Adult / Pediatric Silicone 成人 / 儿童硅胶套		
TSR-6304-3			Neonate Silicone Wrap 新生儿硅胶绑带		
TSR-6305-3			Adult Ear Clip 成人耳夹		
TSR-6306-3			Animal SpO2 sensor 兽用传感器		

**TRISEL** is registered trademark of Shenzhen Trisel Technology Co., Ltd. Other products, logos and company names mentioned herein maybe trademarks of their respective owners and are not to be taken as an endorsement or affiliation with **TRISEL**.


























### REUSABLE 重复性

PART NO 型号	DESCRIPTION 产品描述	PHOTO 图片	GENERATOR SIDE 机器端	INSTRUMENT SIDE 器械端	COMPATIBLE MODEL 兼容机型
TPR1000-01	Reusable Monopolar Cable for Laparoscopy, 4mm shielded plug via 4mm socket, L = 3m 重复性腹腔镜单极导线, 4mm屏蔽插头, 3米				Aesculap / Berchtold / Erbe T Series / Huttinger / Martin / Micromed
TPR1000-02	Reusable Monopolar Cable for Laparoscopy, 8mm bovie plug via 4mm socket, L = 3m 重复性腹腔镜单极导线, 8mm博威插头转4mm母插, 3米				Bard / Birtcher / Bovie / Bowa / Conmed / Eschmann / Medtrex / Valleylab
TPR1000-03	Reusable Monopolar Cable for Laparoscopy, 4mm lantern plug via 4mm socket, L=3M 重复性腹腔镜单极导线, 4mm灯笼插头转4mm母插, 3米				U.S. Standard / Erbe T Series / Eschmann / Sutter BM780 / Martin / Integra / Aesculap / Berchtold
TPR1000-04	Reusable Monopolar Cable for Laparoscopy, 5mm shielded plug via 4mm socket, L=3M 重复性腹腔镜单极导线, 5mm屏蔽插头转4mm母插, 3米				ACC Standard / ICC / Erbe V10 / Karl Storz
TPR1000-05	Reusable Monopolar Cable For Endoscopy, 8mm bovie plug via 3mm socket, L=5M 重复性内窥镜单极导线, 8mm博威插头转3mm母插, 5米				Bard / Birtcher / Bovie / Bowa / Conmed / Eschmann / Medtrex / Valleylab
TPR2010-01	Reusable Bipolar Cable for Forceps Pitch: 5.75±0.15mm, Valleylab plug via 2pin US fitting, L=3M 重复性双极电凝导线, 威利插头转美式2pin, 3米				Valleylab
TPR2010-02	Reusable Bipolar Cable for Forceps Pitch: 2.8mm, Valleylab plug via 2pin Euro fitting, L=3M 重复性双极电凝导线, 威利插头转欧式扁插, 3米				Valleylab
TPR2010-03	Reusable Bipolar Cable for Forceps Pitch: 5.75±0.15mm, Erbe Plug via 2pin US fitting, L=3M 重复性双极电凝导线, erbe插头转美式2pin, 3米				Erbe, Karl Storz
TPR2010-04	Reusable Bipolar Cable for Forceps Pitch: 2.8mm, Erbe Plug via 2pin Euro fitting, L=3M 重复性双极电凝导线, erbe插头转欧式扁插, 3米				Erbe, Karl Storz
TPR2010-05	Reusable Bipolar Cable for Forceps Pitch: 5.75±0.15mm, Martin plug via 2pin US fitting, L=3M 重复性双极电凝导线, 马丁插头转美式2pin, 3米				Martin
TPR2010-06	Reusable Bipolar Cable for Forceps Pitch: 2.8mm, Martin plug via 2pin Euro fitting, L=3M 重复性双极电凝导线, 马丁插头转欧式扁插, 3米				Martin
TPR2010-07	Reusable Bipolar Cable for Forceps Pitch: 5.75±0.15mm, 2pin banana plug via 2pin US fitting, L=3M 重复性双极电凝导线, 4mm香蕉插头分体转美式2pin, 3米				Erbe International, Martin i Series, Conmed, Valleylab, etc

PART NO 型号	DESCRIPTION 产品描述	PHOTO 图片	GENERATOR SIDE 机器端	INSTRUMENT SIDE 器械端	COMPATIBLE MODEL 兼容机型
TPR2010-08	Reusable Bipolar Cable for Forceps Pitch:5.75±0.15mm, 2pin banana plug via 2pin Euro fitting, L=3M 重复性双极电凝导联线, 4mm香蕉插 分体转欧式扁插, 3米			 Pitch: 2.8mm	Erbe International, Martin i Series, Conmed, Valleylab, etc
TPR2010-09	Reusable Bipolar Cable for Forceps Pitch: 7mm Euro style shielded plug, L = 3M 重复性双极电凝导联线, 欧式屏蔽插 转欧式7mm宽扁插, 3米				Martin
TPR2010-10	Reusable Bipolar Cable for Forceps Pitch:5.75±0.15mm, 2pin banana plug via 2pin US fitting, L = 3M 重复性双极电凝导联线, 4mm香蕉插 分体转美式2pin, 3米				Erbe International, Martin i Series, Conmed, Valleylab, etc
TDR2010-01	Reusable Dispersive Cable, HIFI Plug, L = 3M 重复性负极板导联线, HIFI.6.3插头, 3米				Universal
TDR2010-02	Reusable Dispersive Cable, REM Plug, L = 3M 重复性负极板导联线, 威利扁插, 3米				Valleylab
TER1000-01	Reusable Electrosurgical Pencil, 3pin gold-flashed banana plug, silicone cable; L = 3m 重复性电刀笔, 3x漂金香蕉插, 硅胶 线, 3米			 19.1±0.4	Universal
EAD-1	Reusable Electrosurgical Pencil Adapter, 3pin banana via 4mm plug 重复性电刀笔转接器, 3pin电刀笔转 4mm插				U.S.Standard / Erbe T Series / Eschmann / Sutter BM780 / Martin / Integra / Aesculap / Berchtold
EAD-2	Reusable Electrosurgical Pencil Adapter, 3pin banana via 5mm shielded plug 重复性电刀笔转接器, 3pin电刀笔转 5mm屏蔽插				ACC Standard / ICC / Erbe V10 / Karl Storz
EAD-3	Reusable Electrosurgical Pencil Adapter, 3pin banana via 4mm shielded plug 重复性电刀笔转接器, 3pin电刀笔转 4mm屏蔽插				Aesculap / Berchtold / Erbe T Series / Hutteringer / Martin / Micromed
EAD-4	Reusable Electrosurgical Pencil Adapter, 3pin banana via 8mm bovie plug 重复性电刀笔转接器, 3pin电刀笔转 8mm博威插				Bard / Birtcher / Bovie / Bowa / Conmed / Eschmann / Medtrex / Valleylab

**TRISEL** is registered trademark of Shenzhen Trisel Technology Co., Ltd. Other products, logos and company names mentioned herein maybe trademarks of their respective owners and are not to be taken as an endorsement or affiliation with **TRISEL**.


## DISPOSABLE 一次性

PART NO 型号	DESCRIPTION 产品描述	PHOTO 图片	GENERATOR SIDE 机器端	INSTRUMENT SIDE 器械端	COMPATIBLE MODEL 兼容机型
TPD2010-01	Disposable Bipolar Cable for Forceps Pitch:5.75±0.15mm, Valleylab plug via 2pin US fitting, L=3M, Gamma 25KGy 一次性双极电凝导线, 威利插头转 美式2pin, 3米, 25KGy 伽玛射线消 毒				Valleylab
TPD2010-02	Disposable Bipolar Cable for Forceps Pitch: 2.8mm, Valleylab plug via 2pin Euro fitting, L=3M, Gamma 25KGy 一次性双极电凝导线, 威利插头转 欧式扁插, 3米, 25KGy 伽玛射线消 毒				Valleylab
TPD2010-03	Disposable Bipolar Cable for Forceps Pitch:5.75±0.15mm, Erbe Plug via 2pin US fitting, L=3M, Gamma 25KGy 一次性双极电凝导线, erbe插头转 美式2pin, 3米, 25KGy 伽玛射线消 毒				Erbe, Karl Storz
TPD2010-04	Disposable Bipolar Cable for Forceps Pitch: 2.8mm, Erbe Plug via 2pin Euro fitting, L=3M, Gamma 25KGy 一次性双极电凝导线, erbe插头转 欧式扁插, 3米, 25KGy 伽玛射线消 毒				Erbe, Karl Storz
TPD2010-05	Disposable Bipolar Cable for Forceps Pitch:5.75±0.15mm, Martin plug via 2pin US fitting, L=3M, Gamma 25KGy 一次性双极电凝导线, 马丁插头转 美式2pin, 3米, 25KGy 伽玛射线消 毒				Martin
TPD2010-06	Disposable Bipolar Cable for Forceps Pitch: 2.8mm, Martin plug via 2pin Euro fitting, L=3M, Gamma 25KGy 一次性双极电凝导线, 马丁插头转 欧式扁插, 3米, 25KGy 伽玛射线消 毒				Martin
TPD2010-07	Disposable Bipolar Cable for Forceps Pitch:5.75±0.15mm, 2pin banana plug via 2pin US fitting, L=3M, Gamma 25KGy 一次性双极电凝导线, 4mm香蕉插 分体转美式2pin, 3米, 25KGy 伽玛 射线消毒				Erbe International, Martin i Series, Conmed, Valleylab, etc
TPD2010-08	Disposable Bipolar Cable for Forceps Pitch:5.75±0.15mm, 2pin banana plug via 2pin Euro fitting, L=3M, Gamma 25KGy 一次性双极电凝导线, 4mm香蕉插 分体转欧式扁插, 3米, 25KGy 伽玛 射线消毒				Erbe International, Martin i Series, Conmed, Valleylab, etc
TDD2010-01	Disposable Dispersive Electrodes with Cable, HIFI plug EtO sterilized 一次性带线负极板, HIFI插头, 环氧 乙烷灭菌				Universal
TDD2010-02	Disposable Dispersive Electrodes with Cable, REM plug EtO sterilized 一次性带线负极板, REM插头, 环氧 乙烷灭菌				Valleylab
TED1000-01	Disposable Electrosurgical Cable EtO sterilized 一次性电刀笔, 环氧乙烷灭菌				Universal



E.C.G. Cables and Leadwires are designed and manufactured in order to secure simulated signals from the heart and convert to digital QRS leads displayed on a patient monitor or other E.C.G. recorders. A complete E.C.G. cabling system is composed of a trunk cable, a set of leadwires, and E.C.G. electrodes which are usually made separately to fit various sizes of the human bodies. The E.C.G. trunk cable with its leadsets can be manufactured through separate moulds or by a one-piece assembly. An E.C.G. cable is over-moulded by medical-graded TPU or PVC jacket and being shielded from a high electric-magnetic environment such as the Operating Room, ICU unit and Anesthesia where create interference. E.C.G. cable should be 100% latex free.

#### Lead Colour code



#### SPECIFICATION:

Protection level against electrical shocks : Classe I see §V

Water-proof protection : IP 1 2

Classification in accordance with the recommendations of European Directive 93/42/EEC : Classe I

Low-frequency current leaks, measured in accordance with the standards concerning that kind of product, are below the authorized value.

Storage and transport environment: -5C ~ +40C

Operating temperature: 0C ~ +40C

Humidity: Operating/Storage/Transportation: 0%~80% non condensing altitude

Hyperbaric pressure: 86kPa ~ 106kPa

Biocompatibility: All patient contact materials are latex free and have been tested according to ISO 10993-5, ISO 10993-10

#### SAFETY:

TASCO MEDICAL E.C.G. patient cables are developed and manufactured in accordance with effective and appropriate European and/or national standards.

CEI 601-1&ANSI/AAMI EC53&ANSI/AAMI EC12

#### MECHANICAL INTEGRITY:

In order to ensure the mechanical integrity of TASCO MEDICAL E.C.G. patient cables (conductors, connectors, wires) during pulling and flexion, and decrease the risk of damage during use, TASCO MEDICAL has used high-quality and high-reliability materials.

Over-molded connectors are equipped of strain relief boots minimizing the risk of cable breaking at this specific location.

TASCO MEDICAL E.C.G. patient cables are designed to resist during repeated defibrillation shocks. There is no metallic accessible part.

#### PERFORMANCES/RELIABILITY:





























TASCO MEDICAL E.C.G. patient cables is designed to reduce outside electric interferences with ECG signal.

#### Type Designation






ECG cable 3, 4, 5, 6, 7 Leads

Item Type E:	E.C.G Cable
Equipment Connector:	AMP 6-PIN 01: Straight connector; 02: Angled connector 1; 03: Angled connector 2 BIONET 04 BIOSYS, BIOLIGHT 05 COLIN 06: Angled connector; 07: Straight connector ...
Yoke Type:	00: one-piece cable; 01: AA yoke; 02: ASP yoke; 03: Colin; ...
Colour Coding:	A: AHA; I: IEC; U: AHA/IEC (United)
Defibrillation Resistance/impedance:	0: No resistance; 1: 1 K $\Omega$ ; 2: 4.7 K $\Omega$ ; 3, 10 K $\Omega$ ; 4, 20 K $\Omega$ 5: 10 K $\Omega$ + discharge; 6: 20 K $\Omega$ + discharge; 7: 100 K $\Omega$ ; 8: 200 K $\Omega$
Lead Number:	3-Id: 3; 4-Id: 4; 5-Id: 5; 6-Id: 6; 7-Id: 7
Patient End:	S: Snap C: Clip D: Din 3.0 B: Banana R: Banana Red

# ECG EQUIPMENT CONNECTOR








						
01	02	03	04	05	06	07
AMP 6-PIN			BIONET	BIOSYS, BIOLIGHT	COLIN	
						
08	09	10	11	12	13	14
DATASCOPE	DATEX, OHMEDA	DRAGER SIEMENS		FUKUDA	GE MARQUETTE (Green Connector)	GE HELLIGE
						
15	16	17	18	19	20	21
GE CRITIKON	KONTRON, ARROW	MEDTRONIC	MEK	MENNEN	GOLDWAY	MINDRAY
						
22	23	24	25	26	27	28
MINDRAY		NIHON KOHDEN			NEC	PHILIPS









				
29	30	31	32	33
PHILIPS		S&W	ARTEMA	SPACELABS

## ECG YOKE TYPE













						
01	01	02	02	03	04	04
AAMI YOKE, "AA"		ASP YOKE		COLIN YOKE	DIN YOKE, "D"	
















						
05	05	06	06	07	07	08
EURO YOKE		LIFELINE YOKE, "LL"		NEC YOKE		NK 6J YOKE













					
09	10	11	11	12	13
NK 8J YOKE	VS YOKE, "VS"	PHILIPS YOKE		TPU LINK YOKE	VS 10L YOKE

# ECG TRUNK CABLE



PART NO.	CONNECTOR	YOKE	SPECIFICATION	COMPATIBLE BRAND	COMPATIBLE MODEL NO.
E0104U13			3Ld Patient Cable AHA/IEC, 6pin>Din 3J, 1KΩ resistance fit for Din style LeadWires	<b>AIR SHIELD (NARCO, VICKERS)</b>  <b>ATL ULTRASOUND</b>  <b>CX ATL ULTRASOUND</b>  <b>BCI</b> <b>COLIN</b> <b>CRITICARE</b>  <b>GE MEDICAL</b>  <b>IVY BIOMEDICAL</b> <b>LSI</b>  <b>MDE</b>  <b>MEDTRONIC PHYSIO-CONTROL</b>  <b>NELLCOR</b>	HRRM-71-1/2, Porta-Fib I, II, III, System 5 (new), System 6 (Neonatal)
					800, 800Plus, Apogee
E0104U15			5Ld Patient Cable AHA/IEC, 6pin>Din 5J, 1KΩ resistance fit for Din style LeadWires		CX200, CX400, HDI 9/2000, Interspec Cardiology XL, Mark IV, Mark VII, Ultramark 4, Ultramark 4 Plus, Ultramark 5, Ultramark 7, Ultramark 9
					3101, 3404, 6100, 6200, 9100, 9200, Advisor, Autocorr
E0104U03			3Ld Patient Cable AHA/IEC, 6pin>Din 3J, no resistance fit for Din style LeadWires		BP308, BP408, CBM3000
					504US, 602-4USP, Poet 2, Scholar
E0104U05			5Ld Patient Cable AHA/IEC, 6pin>Din 5J, no resistance fit for Din style LeadWires		Corometrics 556, Critikon 8100T, Critikon Dinamap 8700 series, Critikon Dinamap 9700 Series
					101(before 1989), 402, 700 LS5, 261
E0106U13			3Ld Patient Cable AHA/IEC, 6pin>LL 3LD, 1KΩ resistance fit for LL style LeadWires		Escort 100, Escort 101, Escort 102, Escort 200, Escort 300, Prism, 360SL, 450SL, 521A, PortaPak 80, PortaPak 90, PortaPak 1000
					Lifepak 6, VSM-1ESF (w/resistors) N-200 C-LOCK, N-250 C-LOCK, N- 1000, NPB-3900, NPB-4000

E0106U15	 		5Ld Patient Cable AHA/IEC, 6pin>LL 5LD, 1KΩ resistance fit for LL style LeadWires	<b>NIHON KOHDEN</b>	BSM-8301A, BSM-8302A, BSM-8500A, BSM-8502A, OEC-6102A(s/n>20156), OEC-6105A(s/n>20226), OEC-7102A, OEC-8108A, TEC-5200A(s/n>20421), TEC-7100A, TEC-7200A, TEC-7300A			
E0106U03	 		3Ld Patient Cable AHA/IEC, 6pin>LL 3LD, no resistance fit for LL style LeadWires		<b>PACE-TECH</b>	Minipack 300 , Minipack 3000, Minipack 3100, MiniMax 4000CL, Vitalmax, 800 Plus, Vitalmax 2100, Vitalmax 2200, Vitalmax 4000, Vitalmax 4000CL, Vitalmax, 4000 Modular, Vitalmax 4100, Vitalmax 4100CL;		
E0106U05	 		5Ld Patient Cable AHA/IEC, 6pin>LL 5LD, no resistance fit for LL style LeadWires			<b>PHILIPS</b>	M3921A A1 Compact Monitor, M3923A A1 Compact Monitor, M3925A A1 Compact Monitor, M3927A A3 Compact Monitor, M3929A A3 Compact Monitor	
E0206U03	 		3Ld Patient Cable AHA/IEC, 6pin>LL 3LD, no resistance fit for LL style LeadWires				<b>PIONEER (American Optical)</b>	26125, 33167, 5260, 5330, Pulsar Medic 3, Medic 4 , Medic 5 , 4045 Defib, 500 Series, 600 Series, 900 Series (w/o respiration), 90300 Series, 90400 Series, 90600 Series, 90700 Series, TEK-208, TEK-408, TEK-511, TEK-512, TEK-514, TEK-521, PC Bedside, PCMS System;
E0206U05	 		5Ld Patient Cable AHA/IEC, 6pin>LL 5LD, no resistance fit for LL style LeadWires				<b>SPACELABS BURDICK</b>	Propaq 100 Series, Propaq 200 Series, Propaq Encore, Propaq CS , Ultra Smart, Atlas
				<b>WELCH ALLYN</b>				
				<b>ZOLL</b>	D900, PD1200, PD1400			

E0804U03			<p>3Ld Patient Cable AHA/IEC, 6pin&gt;Din 3J, no resistance fit for Din style LeadWires</p>	<p><b>DATASCOPE</b></p>	<p>2000,2001,2002,2100,2200,3000, 3000A ,Ballon Pump,M/D3 w/lead select,M/D3A,M/D4,Passport,Pass port IL,Passport XG,Passport XL,Passport 2,Passport 2LT,Spectrum System 90, System 90T , System 96, System 97</p>
E0804U05			<p>5Ld Patient Cable AHA/IEC, 6pin&gt;Din 5J, no resistance fit for Din style LeadWires</p>		
E0406U13			<p>3Ld Patient Cable AHA/IEC, 8pin&gt;LL 3J, 1KΩ resistance fit for LL style LeadWires</p>	<p><b>BIONET</b></p>	<p>BM3</p>
E0406U15			<p>5Ld Patient Cable AHA/IEC, 8pin&gt;LL 5J, 1KΩ resistance fit for LL style LeadWires</p>		
E0504U13			<p>3Ld Patient Cable AHA/IEC, Readel 6pin&gt;Din 3J, 1KΩ resistance fit for Din style LeadWires</p>	<p><b>BIOSYS</b></p>	<p>BPM-103</p>
E0504U15			<p>5Ld Patient Cable AHA/IEC, Readel 6pin&gt;Din 5J, 1KΩ resistance fit for Din style LeadWires</p>		










E0603U03			<p>5Ld Patient Cable AHA/IEC, L type round 6pin&gt;6J, no resistance fit for Colin LeadWires</p>	<p><b>COLIN</b></p>	<p>BP88, BP306</p>
E0703U05			<p>5Ld Patient Cable AHA/IEC, straight 6P&gt;6J, no resistance fit for Colin LeadWires</p>	<p><b>COLIN</b></p>	<p>BP88S</p>
E0105U13			<p>3Ld Patient Cable AHA/IEC, 6pin&gt;EURO 3LD, 1KΩ resistance fit for EURO style LeadWires</p>	<p><b>DATASCOPE</b></p>	<p>Passport 2, 2LT, Spectrum, Trio</p>
E0105U15			<p>5Ld Patient Cable AHA/IEC 6pin&gt;LL 5LD, 1KΩ resistance fit for EURO style LeadWires</p>		
E0906U03			<p>3Ld Patient Cable, AHA/IEC, Round 10J&gt;LL 3LD, no resistance fit for LL style LeadWires</p>	<p><b>DATEX</b></p>	<p>AS/3, CS/3, S/5, Cardiocap 1, Cardiocap 2, Cardiocap 5, Light Monitor, Satliteplus</p>
E0906U05			<p>5Ld Patient Cable AHA/IEC, Round 10J&gt;LL 5LD, no resistance fit for LL style LeadWires</p>		
E0904U03			<p>3Ld Patient Cable AHA/IEC, Round 10J&gt;Din 3LD, no resistance fit for Din style LeadWires</p>		












E0902I23			<p>3Ld Patient Cable, IEC, Round 10J&gt;ASP 3LD, 4.7 KΩ resistance fit for ASP style LeadWires</p>	<p><b>DATEX OHMEDA</b></p>	<p>DATEX OHMEDA Patient Monitor</p>
E0902I25			<p>5Ld Patient Cable IEC, Round 10J&gt;ASP 5LD, 4.7 KΩ resistance fit for ASP style LeadWires</p>		
E1004U03			<p>SG 3Ld Patient Cable AHA/IEC, Round 10pin&gt;Din 3LD, no resistance fit for Din style LeadWires</p>	<p><b>DRAGER SIEMENS</b></p>	<p>Drager UM1/3/3.1, RM1, PM8010, PM8014, Babyguard 8000, Cato, Babylog8000/8000 plus, PB8800,Serie 8000, Cicero, Parameterbox</p>
E1006U03			<p>SG 3Ld Patient Cable AHA/IEC, Round 10pin&gt;LL 3LD, no resistance fit for LL style LeadWires</p>		
E1106U03			<p>3Ld Patient Cable AHA/IEC, Round 10J&gt;LL 3LD, no resistance fit for LL style LeadWires</p>	<p><b>SIEMENS MEDICAL</b></p>	<p>Sirecust, Series 400, 500, 600, Serie 700, 900, 1200, Sirecust341/610/620/6, 30/720/722,Sirecust 730/732/900/960/961/1260, Sirecust 1281/1801/400/- 500,ECG Monitor, Polymed Modul,Modulbox Sirem</p>
E1106U05			<p>5Ld Patient Cable, AHA/IEC, Round 10J&gt;LL 5LD, no resistance fit for LL style LeadWires</p>		
E1105U03			<p>3Ld Patient Cable AHA/IEC, Round 10J&gt;Euro 3LD, no resistance fit for Euro style LeadWires</p>		






E1105U05			5Ld Patient Cable, AHA/IEC, Round 10J>Euro 5LD, no resistance fit for Euro style LeadWires	<b>SIEMENS MEDICAL</b>	Sirecust, Series 400, 500, 600, Serie 700, 900, 1200, Sirecust341/610/620/6, 30/720/722,Sirecust 730/732/900/960/961/1260, Sirecust 1281/1801/400/- 500,ECG Monitor, Polymed Modul,Modulbox Sirem
E1205U03			3Ld Patient Cable AHA/IEC, rectangle 12P>Euro 3LD, no resistance fit for Euro style LeadWires	<b>FUKUDA</b>	7100 patient monitor
E1310I05			5Ld Patient Cable, IEC, rectangle 12P>VS 5LD, no resistance fit for VS style LeadWires	<b>GE DATEX-OHMEDA MARQUETTE</b>	GE Eagle,Solar,Dash Monitors,Tram,MAC-Lab Cath Lab System, GE Datex-Ohmeda, M-PRESTN and "E"Series Modules
E1306U03			5Ld Patient Cable, AHA/IEC, rectangle 12P>VS 5LD, no resistance fit for LL style LeadWires		
E1406U03			3Ld Patient Cable, AHA/IEC, Round 10J>LL 3LD, no resistance fit for LL style LeadWires	<b>GE HELLIGE</b>	Hellige,Servomed 4,Generation,SCP 851, SCP 852, SCP 844, SCP 804, Cardioserv,VICOM-sm
E1406U05			5Ld Patient Cable, AHA/IEC, Round 10J>LL 5LD, no resistance fit for LL style LeadWires		
E1502I13			3Ld Patient Cable, IEC Round 6pin>ASP 3LD 1KΩ resistance fit for ASP style LeadWires	<b>GE CRITIKON</b>	Pro 1000, Serie 8700, Dinamap+, Dinamap MPS













E1502I15			5Ld Patient Cable, AHA/IEC, Round 6pin>ASP 5LD, 1KΩ resistance fit for ASP style LeadWires	<b>GE CRITIKON</b>	Pro 1000, Serie 8700, Dinamap+, Dinamap MPS
E1606U03			3Ld Patient Cable, AHA/IEC, Round 12P>LL 3LD, 1KΩ resistance fit for LL style LeadWires	<b>KONTRON</b>	7000, 7135, 7135B, 7141, 7210, 7250, 7251, K2000, KAAAT, Kolormon, Micromon, Minimon, Supermon , Vitalmon
E1606U05			5Ld Patient Cable, AHA/IEC, Round 12P>LL 5LD, 1KΩ resistance fit for LL style LeadWires		
E1806U03			3Ld Patient Cable, AHA/IEC, DB9M>LL 3J, no resistance fit for LL style LeadWires	<b>MEK</b>	M160246, M360697
E1806U05			5Ld Patient Cable, AHA/IEC, DB9M>LL 5J, no resistance fit for LL style LeadWires		
E1804U03			3Ld Patient Cable, AHA/IEC, DB9M>Din 3J, no resistance fit for Din style LeadWires	<b>MEK</b>	MP1000,MP600,MP500
E1804U05			5Ld Patient Cable, AHA/IEC, DB9M>Din 5J, no resistance fit for Din style LeadWires		

E2105U13			3Ld Patient Cable AHA/IEC Round 12P>Euro 3LD, 1KΩ resistance fit for Euro style LeadWires	<b>MINDRAY</b>	PM6000, with 12-pin green input connector
E2105U15			5Ld Patient Cable AHA/IEC Round 12P>Euro 5LD, 1KΩ resistance fit for Euro style LeadWires		
E2205U13			3Ld Patient Cable AHA/IEC Round 12P>Euro 3LD, 1KΩ resistance /Inductance fit for Euro style LeadWires	<b>MINDRAY</b>	PM-6800,PM-6000 (after 2004) with 12-pin green input connector, BeneView (T5, 56, T8) , iPM Series
E2205U15			5Ld Patient Cable AHA/IEC Round 12P>Euro 5LD, 1KΩ resistance /Inductance fit for Euro style LeadWires		
E2305U13			3Ld Patient Cable AHA/IEC Round 6P>Euro 3LD, 1KΩ resistance /Inductance fit for Euro style LeadWires	<b>MINDRAY</b>	PM-6201,7000; PM8000,PM9000(after 2004);
E2305U15			5Ld Patient Cable AHA/IEC Round 6P>Euro 5LD, 1KΩ resistance /Inductance fit for Euro style LeadWires		
E2006U03			3Ld Patient Cable AHA/IEC, Round 6p>LL 3LD, no resistance fit for LL style LeadWires	<b>GOLDWAY</b>	UT4000A,UT4000Apro,UT6000A, UT4000B, UT4000C, UT4000F, UT6000F, UT4000Fpro, UT4800











E2006U05			<p>5Ld Patient Cable AHA/IEC, Round 6p&gt;LL 5LD, no resistance fit for LL style LeadWires</p>	<p><b>GOLDWAY</b></p>	<p>UT4000A,UT4000Apro,UT6000A, UT4000B, UT4000C, UT4000F, UT6000F, UT4000Fpro, UT4800</p>
E2304U03			<p>3Ld Patient Cable, AHA/IEC, 6p&gt;Din 3J, no resistance fit for Din style LeadWires</p>	<p><b>NIHON KOHDEN</b></p>	<p>TEC-7500</p>
E2408I05			<p>5Ld Patient Cable, IEC, Round 8p&gt;NK 6J, no resistance fit for BR-019 LeadWires</p>	<p><b>NIHON KOHDEN</b></p>	<p>OEC-6102A, (s/n&lt;20156), COEC- 6105A, (s/n&lt;20226), OEC- 6120A/J/K, BSM-7105K</p>
E2508I05			<p>5Ld Patient Cable, IEC, Round 11p&gt;NK 6J, no resistance fit for BR-019 LeadWires</p>	<p><b>NIHON KOHDEN</b></p>	<p>BSM-7102A, OMP-7201C, OMP- 7203C, TEC-5200A (s/n&lt;20421)</p>
E2609I06			<p>6Ld Patient Cable IEC, Rectangle 12p&gt;NK 8J, no resistance fit for BR-903P, BR-906P</p>	<p><b>NIHON KOHDEN</b></p>	<p>BSM-73, BSM-2300 Lifescope I, BSM4100 Lifescope P, BSM-5100 Lifescope A, BSM-9510 Lifescope M, BSM-9800 Lifescope S</p>
E2707U03			<p>3Ld Patient Cable, AHA/IEC, Round 16p&gt;NEC 3LD, no resistance fit for 47504 LeadWires</p>	<p><b>NEC</b></p>	<p>3M12</p>
E2707U05			<p>5Ld Patient Cable, AHA/IEC, Round 16p&gt;NEC 5LD, no resistance fit for 47505 LeadWires</p>		

E2801I13			<p>3Ld Patient Cable IEC, Round 12p&gt;AA-3LD 1KΩ resistance fit for AA style LeadWires</p>	<p style="text-align: center;"><b>PHILIPS HP</b></p>	<p style="text-align: center;">78352C 78354C 78834C M1001A/B M1002A/B M1722A/B M1723A/B M2475B M3000A M3001A M3535A M3536A M4735A 862474 862475(C3) 862478 862479(C3) VM4/V24</p>
E2801I15			<p>5Ld Patient Cable IEC, Round 12p&gt;AA-5LD 1KΩ resistance fit for AA style LeadWires</p>		
E2801A13			<p>3Ld Patient Cable AHA, Round 12p&gt;AA-3LD 1KΩ resistance fit for AA style LeadWires</p>		
E2801A15			<p>5Ld Patient Cable AHA, Round 12p&gt;AA-5LD 1KΩ resistance fit for AA style LeadWires</p>		
E2911U13			<p>3Ld Patient Cable, AHA/IEC, 12p&gt;Philips 3LD 1KΩ resistance fit for M1674A, M1672A LeadWires (Philips)</p>		
E2911U15			<p>3Ld Patient Cable, AHA/IEC, 12p&gt;Philips 5LD 1KΩ resistance fit for M1645A, M1671A LeadWires (Philips)</p>		











E3001I13			<p>3Ld Patient Cable, IEC, Round 8p&gt;AA-3LD 1kΩ resistance fit for AA style LeadWires</p>	<p><b>PHILIPS HP</b></p>	<p>77010AC 77020A/AC 77020AR 77025A 77030A 77035A 77040A 78208A 78210A 78330A 78331A 78332A 78333A 78341A 78342A 78345A 78346A 78351T 78352A 78353A/B 78354A 78532A/B 78534A/B/C M1722A/B M1723A/B M2400A M2406A M2475B M3500B M5500B</p>
E3001I15			<p>5Ld Patient Cable, AHA/IEC, Round 8p&gt;AA-5LD 1kΩ resistance fit for AA style LeadWires</p>		<p>77010AC 77020A/AC 77020AR 77025A 77030A 77035A 77040A 78208A 78210A 78330A 78331A 78332A 78333A 78341A 78342A 78345A 78346A 78351T 78352A 78353A/B 78354A 78532A/B 78534A/B/C M1722A/B M1723A/B M2400A M2406A M2475B M3500B M5500B</p>
E3001A13			<p>3Ld Patient Cable, AHA, Round 8p&gt;AA-3LD 1kΩ resistance fit for AA style LeadWires</p>		<p>77010AC 77020A/AC 77020AR 77025A 77030A 77035A 77040A 78208A 78210A 78330A 78331A 78332A 78333A 78341A 78342A 78345A 78346A 78351T 78352A 78353A/B 78354A 78532A/B 78534A/B/C M1722A/B M1723A/B M2400A M2406A M2475B M3500B M5500B</p>
E3001A15			<p>5Ld Patient Cable, AHA, Round 8p&gt;AA-5LD 1kΩ resistance fit for AA style LeadWires</p>		<p>77010AC 77020A/AC 77020AR 77025A 77030A 77035A 77040A 78208A 78210A 78330A 78331A 78332A 78333A 78341A 78342A 78345A 78346A 78351T 78352A 78353A/B 78354A 78532A/B 78534A/B/C M1722A/B M1723A/B M2400A M2406A M2475B M3500B M5500B</p>
E2804U13			<p>3Ld Patient Cable, AHA/IEC, Round 12p&gt;DIN-3LD 1kΩ resistance fit for DIN style holter LeadWires</p>		<p>78352C 78354C 78834C M1001A/B M1002A/B M1722A/B M1723A/B M2475B M3000A M3001A M3535A M3536A M4735A 862474 862475(C3) 862478 862479(C3)</p>
E2804U15			<p>5Ld Patient Cable, IEC, Round 12p&gt;DIN-5LD 1kΩ resistance fit for DIN style holter LeadWires</p>		<p>78352C 78354C 78834C M1001A/B M1002A/B M1722A/B M1723A/B M2475B M3000A M3001A M3535A M3536A M4735A 862474 862475(C3) 862478 862479(C3)</p>























E3106U03			<p>3Ld Patient Cable, AHA/IEC, Round 10J&gt;LL 3LD, no resistance fit for LL style LeadWires</p>	<p><b>S&amp;W</b></p>	<p>8000 System, Diascope 1, 2, Neoscope, DMS 700, Defibrillator, Diascope-NT, Athena Systems, Cardio-Aid, DS Traveller, DSNT, DS1, DS2, MCX/LS</p>
E3106U05			<p>5Ld Patient Cable, AHA/IEC, Round 10J&gt;LL 5LD, no resistance fit for LL style LeadWires</p>		
E3206U03			<p>3Ld Patient Cable, AHA/IEC, Round 10J&gt;LL 3LD, no resistance fit for LL style LeadWires</p>	<p><b>ARTEMA</b></p>	<p>8000 System, Diascope 1, 2, Neoscope, DMS 700, Defibrillator, Diascope-NT, Athena Systems, Cardio-Aid, DS Traveller, DSNT, DS1, DS2, MCX/LS</p>
E3206U05			<p>5Ld Patient Cable, AHA/IEC, Round 10J&gt;LL 5LD, no resistance fit for LL style LeadWires</p>		
E3312U05			<p>5Ld Patient Cable,AHA/IEC, Round 17p&gt;TRU-LINK 5Ld, no resistance fit for TRU-LINK LeadWires</p>	<p><b>SPACELABS</b></p>	<p>90496 Ultraview, 90369 Ultraview, 90367 Ultraview, SL2400..</p>










# ECG LEADWIRES













PART NO.	CONNECTOR	PATIENT END	SPECIFICATION	COMPATIBLE BRAND	COMPATIBLE MODEL NO.
E06SI3-100			Set of 3 Leadwires "LL" style, 100cm, IEC, Snap patient end	<b>MULTIPLE BRANDS</b>	Available for LL type 3-lead trunk cable
E06CI3-100			Set of 3 Leadwires "LL" style, 100cm, IEC, Clip patient end		
E06SA3-100			Set of 3 Leadwires "LL" style, 100cm, AHA, Snap patient end		
E06CA3-100			Set of 3 Leadwires "LL" style, 100cm, AHA, Clip patient end		
E06SI5-100			Set of 5 Leadwires "LL" style, 100cm, IEC, Snap patient end	<b>MULTIPLE BRANDS</b>	Available for LL type 5-lead trunk cable
E06CI5-100			Set of 5 Leadwires "LL" style, 100cm, IEC, Clip patient end		











E06SA5-100			Set of 5 Leadwires "LL" style, 100cm, AHA, Snap patient end	<b>MULTIPLE BRANDS</b>	Available for LL type 5-lead trunk cable
E06SA5-100			Set of 5 Leadwires "LL" style, 100cm, AHA, Clip patient end		
E04SI3-60			Set of 3 leadwires "DIN" style, 60cm, IEC, Snap patient end	<b>MULTIPLE BRANDS</b>	Available for DIN type 3-lead trunk cable
E04CI3-60			Set of 3 leadwires "DIN" style, 60cm, IEC, Clip patient end		
E04SA3-60			Set of 3 leadwires "DIN" style, 60cm, AHA, Snap patient end		
E04CA3-60			Set of 3 leadwires "DIN" style, 60cm, AHA, Clip patient end		
E04SI5-60			Set of 5 leadwires "DIN" style, 60cm, IEC, Snap patient end	<b>MULTIPLE BRANDS</b>	Available for DIN type 5-lead trunk cable












E04CI5-60			Set of 5 leadwires "DIN" style, 60cm, IEC, Clip patient end	<b>MULTIPLE BRANDS</b>	Available for DIN type 5-lead trunk cable
E04SA5-60			Set of 5 leadwires "DIN" style, 60cm, AHA, Snap patient end		
E04CA5-60			Set of 5 leadwires "DIN" style, 60cm, AHA, Clip patient end		
E03SI3-76			Set of 3 leadwires "Colin" style, 76cm, IEC, Snap patient end	<b>COLIN</b>	BP88, BP88S, BP306
E03CI3-76			Set of 3 leadwires "Colin" style, 76cm, IEC, Clip patient end		
E03SA3-76			Set of 3 leadwires "Colin" style, 76cm, AHA, Snap patient end		
E03CA3-76			Set of 3 leadwires "Colin" style, 76cm, AHA, Clip patient end		












E03SI5-76, E03SI5-102			Set of 5 leadwires "Colin" style, 76cm & 102cm, IEC, Snap patient end	<b>COLIN</b>	BP88, BP88S, BP306
E03CI5-76, E03CI5-102			Set of 5 leadwires "Colin" style, 76cm & 102cm, IEC, Clip patient end		
E03SA5-76, E03SA5-102			Set of 5 leadwires "Colin" style, 76cm & 102cm, AHA, Snap patient end		
E03CA5-76, E03CA5-102			Set of 5 leadwires "Colin" style, 76cm & 102cm, AHA, Clip patient end		
E10SI5-76, E10SI5-130			Set of 5 leadwires "VS" style (code V) Non group set (detachable), original Marquette leadwire 411200-003, 76cm & 130cm, IEC, Snap patient end	<b>GE DATEX-OHMEDA MARQUETTE</b>	GE Eagle,Solar,Dash Monitors,Tram,MACLab, Cath Lab System,Apex,Apex S,ApexPro,GE Datex-Ohmeda, M-PRESTN and "E"Series Modules
E10CI5-76, E10CI5-130			Set of 5 leadwires "VS" style (code V) Non group set (detachable), original Marquette leadwire 414556-003, 76cm & 130cm, IEC, Clip patient end		
E10SA5-76, E10SA5-130			Set of 5 leadwires "VS" style (code V) Non group set (detachable), original Marquette leadwire 411200-001, 76cm & 130cm, AHA, Snap patient end		













E10CA5-76, E10CA5-130			Set of 5 leadwires "VS" style (code V) Non group set (detachable), original Marquette leadwire 414556-001, 76cm & 130cm, AHA, Clip patient end	<b>GE DATEX-OHMEDA MARQUETTE</b>	GE Eagle,Solar,Dash Monitors,Tram,MACLab, Cath Lab System,Apex,Apex S,ApexPro,GE Datex-Ohmeda, M-PRESTN and "E"Series Modules				
E10CI3-76, E10CI3-130			Set of 3 leadwires "VS" style (code V) Group set type (molded), original Marquette leadwire 412682-003, 76cm & 130cm, IEC, Clip patient end		<b>GE DATEX-OHMEDA MARQUETTE</b>	GE Eagle,Solar,Dash Monitors,Tram,MACLab, Cath Lab System,Apex,Apex S,ApexPro,GE Datex-Ohmeda, M-PRESTN and "E"Series Modules			
E10CA3-76, E10CA3-130			Set of 3 leadwires "VS" style (code V) Group set type (molded), original Marquette leadwire 412682-001, 76cm & 130cm, AHA, Clip patient end	<b>GE CRITIKON</b>			Dinamp Pro 1000,MPS Select,Portable monitor		
E02SI3-61, E02SI3-102			Set of 3 Leadwires "ASP" style, 61cm & 102cm, IEC, Snap patient end		<b>GE CRITIKON</b>	Dinamp Pro 1000,MPS Select,Portable monitor			
E02CI3-61, E02CI3-102			Set of 3 Leadwires "ASP" style, 61cm & 102cm, IEC, Clip patient end					<b>GE CRITIKON</b>	Dinamp Pro 1000,MPS Select,Portable monitor
E02SA3-61, E02SA3-102			Set of 3 Leadwires "ASP" style, 61cm & 102cm, AHA, Snap patient end						
E02CA3-61, E02CA3-102			Set of 3 Leadwires "ASP" style, 61cm & 102cm, AHA, Clip patient end						











E02SI5-61, E02SI5-102			Set of 5 Leadwires "ASP" style, 61cm & 102cm, IEC, Snap patient end	<b>GE CRITIKON</b>	Dinamp Pro 1000,MPS Select,Portable monitor
E02CI5-61, E02CI5-102			Set of 5 Leadwires "ASP" style, 61cm & 102cm, IEC, Clip patient end		
E02SA5-61, E02SA5-102			Set of 5 Leadwires "ASP" style, 61cm & 102cm, AHA, Snap patient end		
E02CA5-61, E02CA5-102			Set of 5 Leadwires "ASP" style, 61cm & 102cm, AHA, Clip patient end		
EYCESI3-80			Set of 3 Leadwires, "NEC" style, 80cm, IEC, Snap patient end	<b>NEC</b>	NEC Holter
EYCECI3-80			Set of 3 Leadwires, original NEC holter leadwire YCE-205, "NEC" style, 80cm, IEC, Clip patient end		
E07CI3-80-1			Set of 3 Leadwires, original NEC leadwire 47504, "NEC" style, 80cm, IEC, Clip patient end	<b>NEC</b>	3M12











E07CI3-80-2			Set of 3 Leadwires, original NEC leadwire 47502, "NEC" style, 80cm, IEC, Clip patient end	<b>NEC</b>	3M12
E08SI3-80			Set of 3 leadwires, original NK leadwire BR-019P, "NK 6J" style, 80cm, IEC, Snap patient end	<b>NIHON KOHDEN</b>	BSM-8301A, 8302A, 8500A, 8502A, OEC-6102A (s/n > 20156), OEC-6105A (s/n > 20226), OEC-7102A/8108A TEC-5200A (s/n > 20421), TEC-7100A, 7200A, 7300A
E08CI3-80			Set of 3 leadwires, original NK leadwire BR-018P, "NK 6J" style, 80cm, IEC, Clip patient end		
E08SI5-80			Set of 5 leadwires, original NK leadwire BR-021P, "NK 6J" style, 80cm, IEC, Snap patient end	<b>NIHON KOHDEN</b>	BSM-8301A, 8302A, 8500A, 8502A, OEC-6102A (s/n > 20156), OEC-6105A (s/n > 20226), OEC-7102A/8108A TEC-5200A (s/n > 20421), TEC-7100A, 7200A, 7300A
E08CI5-80			Set of 5 leadwires, original NK leadwire BR-020P, "NK 6J" style, 80cm, IEC, Clip patient end		
E09SI3-90			Set of 3 leadwires, original NK leadwire BR-913P, "NK 8J" style, 90cm, IEC, Snap patient end	<b>NIHON KOHDEN</b>	Lifescopy A, I, P, BSM-2301, 2353, 4103k, 5100
E09CI3-90			Set of 3 leadwires, original NK leadwire BR-903P, "NK 8J" style, 90cm, IEC, Clip patient end		











E09SI6-90			Set of 6 leadwires, original NK leadwire BR-916P, "NK 8J" style, 90cm, IEC, Snap patient end	<b>NIHON KOHDEN</b>	Lifescop A, I, P BSM-2301, 2353, 4103k, 5100
E09CI6-90			Set of 6 leadwires, original NK leadwire BR-906P, "NK 8J" style, 90cm, IEC, Clip patient end		
EBRSI3-80			Set of 3 leadwires, PLUG: Din2.0*3pin, original NK leadwire BR-546S, Holter, 80cm, IEC, Snap patient end	<b>NIHON KOHDEN</b>	NIHON KOHDEN Holter
EBRCI3-80			Set of 3 leadwires, PLUG: Din2.0*3pin, original NK leadwire BR-646S, Holter, 80cm, IEC, Clip patient end		
ENKSI3-80			Set of 3 leadwires, "NK" style, 80cm, IEC, Snap patient end	<b>NIHON KOHDEN</b>	NIHON KOHDEN Recording case
ENKCI3-80			Set of 3 leadwires, original NK leadwire BR-002P, "NK" style, 80cm, IEC, Clip patient end	<b>NIHON KOHDEN</b>	NIHON KOHDEN Recording case
ENKSI5-80			Set of 5 leadwires, original NK leadwire, "NK" style, 80cm, IEC, Snap patient end		







ENKCI5-80			Set of 5 leadwires, original NK leadwire BR-004P, "NK" style, 80cm, IEC, Clip patient end	<b>NIHON KOHDEN</b>	NIHON KOHDEN Recording case
E01SI3-100			Set of 3 leadwires "AA" style, OEM P/N: M1615A, 100cm, IEC, Snap patient end	<b>PHILIPS HP</b>	78352C 78354C 78834C M1001A/B M1002A/B M1722A/B M1723A/B M2475B M3000A M3001A M3535A M3536A M4735A 862474 862475(C3) 862478 862479(C3) VM4/V24, 77010AC 77020A/AC 77020AR 77025A 77030A 77035A 77040A 78208A 78210A 78330A 78331A 78332A 78333A 78341A 78342A 78345A 78346A 78351T 78352A 78353A/B 78354A 78532A/B 78534A/B/C M1722A/B M1723A/B M2400A M2406A M2475B M3500B M5500B
E01CI3-100			Set of 3 leadwires "AA" style, OEM P/N: M1613A, 100cm, IEC, Clip patient end		
E01SA3-100			Set of 3 leadwires "AA" style, OEM P/N: M1605A, 100cm, AHA, Snap patient end		
E01CA3-100			Set of 3 leadwires "AA" style, OEM P/N: M1603A, 100cm, AHA, Clip patient end		
E01SI5-100					
E01CI5-100			Set of 5 leadwires "AA" style, OEM P/N: M1633A, 100cm, IEC, Clip patient end		



E01SA5-100			Set of 5 leadwires "AA" style, OEM P/N: M1625A, 100cm, AHA, Snap patient end	<b>PHILIPS HP</b>	78352C 78354C 78834C M1001A/B M1002A/B M1722A/B M1723A/B M2475B M3000A M3001A M3535A M3536A M4735A 862474 862475(C3) 862478 862479(C3) VM4/V24, 77010AC 77020A/AC 77020AR 77025A 77030A 77035A 77040A 78208A 78210A 78330A 78331A 78332A 78333A 78341A 78342A 78345A 78346A 78351T 78352A 78353A/B 78354A 78532A/B 78534A/B/C M1722A/B M1723A/B M2400A M2406A M2475B M3500B M5500B
E01CA5-100			Set of 5 leadwires "AA" style, OEM P/N: M1623A, 100cm, AHA, Clip patient end		
E11SI3-102			Set of 3 leadwires, original Philips leadwire M1674A, "Philips" style, 102cm, IEC, Snap patient end	<b>PHILIPS</b>	MP 20 Junior, MP20, MP30, MP40,MP50, MP60, MP70, MP90, IntelliVue, HeartStart XL, MRx, Viridia M3, M4, ECG modules: M1001A-B, M1002A-B, X2, M3000A, M3001A, M3500A, 78300C, VM
E11CI3-102			Set of 3 leadwires, original Philips leadwire M1672A, "Philips" style, 102cm, IEC, Clip patient end		
E11SA3-102			Set of 3 leadwires, original Philips leadwire M1673A, "Philips" style, 102cm, IEC, Snap patient end		
E11CA3-102			Set of 3 leadwires, original Philips leadwire M1671A, "Philips" style, 102cm, IEC, Clip patient end		
E11SI5-102			Set of 5 leadwires, original Philips leadwire M1645A, "Philips" style, 102cm, IEC, Snap patient end		

E11CI5-102			Set of 5 leadwires, original Philips leadwire M1971A, "Philips" style, 102cm, IEC, Clip patient end	<b>PHILIPS</b>	MP 20 Junior, MP20, MP30, MP40, MP50, MP60, MP70, MP90, IntelliVue, HeartStart XL, MRx, Viridia M3, M4, ECG modules: M1001A-B, M1002A-B, X2, M3000A, M3001A, M3500A, 78300C, VM
E11SA5-102			Set of 5 leadwires, original Philips leadwire M1644A, "Philips" style, 102cm, AHA, Snap patient end		
E11CA5-102			Set of 5 leadwires, original Philips leadwire M1968A, "Philips" style, 102cm, AHA, Clip patient end		
E05SI3-74			Set of 3 leadwires "Euro" style, 74cm, IEC, Snap patient end	<b>DATASCOPE, SIEMENS, FUKUDA, MINDRAY</b>	Available for EURO type 3-lead trunk cable
E05CI3-74			Set of 3 leadwires "Euro" style, 74cm, IEC, Clip patient end		
E05SA3-74			Set of 3 leadwires "Euro" style, 74cm, AHA, Snap patient end		
E05CA3-74			Set of 3 leadwires "Euro" style, 74cm, AHA, Clip patient end		

E05SI5-74			Set of 5 leadwires "Euro" style, 74cm, IEC, Snap patient end	<b>DATASCOPE, SIEMENS, FUKUDA, MINDRAY</b>	Available for EURO type 5-lead trunk cable
E05CI5-74			Set of 5 leadwires "Euro" style, 74cm, IEC, Clip patient end		
E05SA5-74			Set of 5 leadwires "Euro" style, 74cm, AHA, Snap patient end		
E05CA5-74			Set of 5 leadwires "Euro" style, 74cm, AHA, Clip patient end		
E12SI3-74			Set of 3 leadwires, original TRU Link leadwire 700-0007-01, "TRU Link" style, 74cm, IEC color coding		
E12CI3-74			Set of 3 leadwires, original TRU Link leadwire 700-0006-01, "TRU Link" style, 74cm, IEC color coding		
E12SA3-74			Set of 5 leadwires, original TRU Link leadwire 700-0007-00, "TRU Link" style, 74cm, IEC color coding, no resistance		










E12CA3-74			Set of 5 leadwires, original TRU Link leadwire 700-0006-00, "TRU Link" style, 74cm, IEC color coding, no resistance	<b>SPACELABS</b>	90496 Ultraview, 90369 Ultraview, 90367 Ultraview, SL2400...
E12SI5-74			Set of 3 leadwires, original TRU Link leadwire 700-0007-09, "TRU Link" style, 74cm, IEC color coding		
E12CI5-74			Set of 3 leadwires, original TRU Link leadwire 700-0006-09, "TRU Link" style, 74cm, IEC color coding		
E12SA5-74			Set of 5 leadwires, original TRU Link leadwire 700-0007-08, "TRU Link" style, 74cm, IEC color coding, no resistance		
E12CA5-74			Set of 5 leadwires, original TRU Link leadwire 700-0006-08, "TRU Link" style, 74cm, IEC color coding, no resistance		

# ECG ONE-PIECE CABLE




















PART NO.	CONNECTOR	PATIENT END	SPECIFICATION	COMPATIBLE BRAND	COMPATIBLE MODEL NO.
E0100S13			ECG one-piece 3-lead cable, Snap, IEC, 3.6cm, 1KΩ resistance	<b>AIR SHIELD (NARCO, VICKERS)</b> <b>ATL ULTRASOUND</b> <b>BCI</b> <b>COLIN</b> <b>GE MEDICAL</b> <b>IVY BIOMEDICAL</b> <b>LSI</b> <b>MDE</b> <b>MEDTRONIC PHYSIO-CONTROL</b> <b>NELLCOR</b> <b>NIHON KOHDEN</b> <b>PACE-TECH</b> <b>PHILIPS</b> <b>PIONEER (American Optical)</b> <b>SPACELABS BURDICK</b> <b>WELCH ALLYN</b> <b>ZOLL</b> <b>PPG</b> <b>GOLDWAY</b>	HRRM-71-1/2, Porta-Fib I, II, III, System 5 (new), System 6 (Neonatal)
E0100C13			ECG one-piece 3-lead cable, Clip, IEC, 3.6cm, 1KΩ resistance		800, 800Plus, Apogee
E0100SA13			ECG one-piece 3-lead cable, Snap, AHA, 3.6cm, 1KΩ resistance		3101, 3404, 6100, 6200, 9100, 9200, Advisor, Autocorr
E0100CA13			ECG one-piece 3-lead cable, Clip, AHA, 3.6cm, 1KΩ resistance		BP308, BP408, CBM3000
E0100S15			ECG one-piece 5-lead cable, Snap, IEC, 3.6cm, 1KΩ resistance		Corometrics 556, Critikon 8100T, Critikon Dinamap 8700 series, Critikon Dinamap 9700 Series
E0100C15			ECG one-piece 5-lead cable, Clip, IEC, 3.6cm, 1KΩ resistance		101(before 1989), 402, 700












E0100SA15			ECG one-piece 5-lead cable, Snap, AHA, 3.6cm, 1KΩ resistance	<b>AIR SHIELD (NARCO, VICKERS)</b> <b>ATL ULTRASOUND</b> <b>BCI</b> <b>COLIN</b> <b>GE MEDICAL</b> <b>IVY BIOMEDICAL</b> <b>LSI</b> <b>MDE</b> <b>MEDTRONIC PHYSIO-CONTROL</b> <b>NELLCOR</b> <b>NIHON KOHDEN</b> <b>PACE-TECH</b> <b>PHILIPS</b> <b>PIONEER (American Optical)</b> <b>SPACELABS BURDICK</b> <b>WELCH ALLYN</b> <b>ZOLL</b> <b>PPG</b> <b>GOLDWAY</b>	LS5, 261
E0100SA15			ECG one-piece 5-lead cable, Clip, AHA, 3.6cm, 1KΩ resistance		Escort 100, Escort 101, Escort 102, Escort 200, Escort 300, Prism, 360SL, 450SL, 521A, PortaPak 80, PortaPak 90, PortaPak 1000
E0200SI13			ECG one-piece 3-lead cable, Snap, IEC, 3.6cm, 1KΩ resistance		Lifepak 6, VSM-1ESF (w/resistors)
E0200CI13			ECG one-piece 3-lead cable, Clip, IEC, 3.6cm, 1KΩ resistance		N-200 C-LOCK, N-250 C-LOCK, N-1000, NPB-3900, NPB-4000
E0200SA13			ECG one-piece 3-lead cable, Snap, AHA, 3.6cm, 1KΩ resistance		BSM-8301A, BSM-8302A, BSM-8500A, BSM-8502A, OEC-6102A(s/n>20156), OEC-6105A(s/n>20226), OEC-7102A, OEC-8108A, TEC-5200A(s/n>20421), TEC-7100A, TEC-7200A, TEC-7300A
E0200CA13			ECG one-piece 3-lead cable, Clip, AHA, 3.6cm, 1KΩ resistance		Minipack 300 , Minipack 3000, Minipack 3100, MiniMax 4000CL, Vitalmax, 800 Plus, Vitalmax 2100, Vitalmax 2200, Vitalmax 4000, Vitalmax 4000CL, Vitalmax, 4000 Modular, Vitalmax 4100, Vitalmax 4100CL;
E0200SI15			ECG one-piece 5-lead cable, Snap, IEC, 3.6cm, 1KΩ resistance		M3921A A1 Compact Monitor, M3923A A1 Compact Monitor, M3925A A1 Compact Monitor, M3927A A3 Compact Monitor, M3929A A3 Compact Monitor





E0200C15			ECG one-piece 5-lead cable, Clip, IEC, 3.6cm, 1KΩ resistance	<b>AIR SHIELD (NARCO, VICKERS)</b> <b>ATL ULTRASOUND</b> <b>BCI</b> <b>COLIN</b> <b>GE MEDICAL</b> <b>IVY BIOMEDICAL</b> <b>LSI</b> <b>MDE</b> <b>MEDTRONIC PHYSIO-CONTROL</b> <b>NELLCOR</b> <b>NIHON KOHDEN</b> <b>PACE-TECH</b> <b>PHILIPS</b> <b>PIONEER (American Optical)</b> <b>SPACELABS BURDICK</b> <b>WELCH ALLYN</b> <b>ZOLL</b> <b>PPG</b> <b>GOLDWAY</b>	26125, 33167, 5260, 5330, Pulsar 4;
E0200SA15			ECG one-piece 5-lead cable, Snap, AHA, 3.6cm, 1KΩ resistance		Medic 3, Medic 4 , Medic 5 , 4045 Defib, 500 Series, 600 Series, 900 Series (w/o respiration), 90300 Series, 90400 Series, 90600 Series, 90700 Series, TEK-208, TEK-408, TEK-511, TEK-512, TEK-514, TEK-521, PC Bedside, PCMS System;
E0200CA15			ECG one-piece 5-lead cable, Clip, AHA, 3.6cm, 1KΩ resistance		Propaq 100 Series, Propaq 200 Series, Propaq Encore, Propaq CS , Ultra Smart, Atlas
E0300SA13			ECG one-piece 3-lead cable, Snap, AHA, 3.6cm, 1KΩ resistance		D900, PD1200, PD1400
E0300CA13			ECG one-piece 3-lead cable, Clip, AHA, 3.6cm, 1KΩ resistance		Datamedix, Becton-Dickinson
E0300SA15			ECG one-piece 5-lead cable, Snap, AHA, 3.6cm, 1KΩ resistance		UT4000A, UT4000A, UT4000Apro, UT6000A, UT4000B, UT4000C, UT4000F, UT6000F, UT4000Fpro, UT4800
E0300CA15			ECG one-piece 5-lead cable, Clip, AHA, 3.6cm, 1KΩ resistance		










E0400SI13			ECG one-piece 3-lead cable, Snap, IEC, 3.6cm, 1KΩ resistance	<b>BIONET</b>	BM3
E0400CI13			ECG one-piece 3-lead cable, Clip, IEC, 3.6cm, 1KΩ resistance		
E0400SA13			ECG one-piece 3-lead cable, Snap, AHA, 3.6cm, 1KΩ resistance		
E0400CA13			ECG one-piece 3-lead cable, Clip, AHA, 3.6cm, 1KΩ resistance		
E0400SI15			ECG one-piece 5-lead cable, Snap, IEC, 3.6cm, 1KΩ resistance		
E0400CI15			ECG one-piece 5-lead cable, Clip, IEC, 3.6cm, 1KΩ resistance		
E0400SA15			ECG one-piece 5-lead cable, Snap, AHA, 3.6cm, 1KΩ resistance		










E0400CA15			ECG one-piece 5-lead cable, Clip, AHA, 3.6cm, 1KΩ resistance	BIONET	BM3				
E0500SI13			ECG one-piece 3-lead cable, Snap, IEC, 3.6cm, 1KΩ resistance			BIOSYS, BIOLIGHT, CREATIVE	BIONET: BPM-103, BIOLIGHT: M12, CREATIVE: PC9000S,PC9000,UP6000		
E0500CI13			ECG one-piece 3-lead cable, Clip, IEC, 3.6cm, 1KΩ resistance						
E0500SA13			ECG one-piece 3-lead cable, Snap, AHA, 3.6cm, 1KΩ resistance						
E0500CA13			ECG one-piece 3-lead cable, Clip, AHA, 3.6cm, 1KΩ resistance						
E0500SI15			ECG one-piece 5-lead cable, Snap, IEC, 3.6cm, 1KΩ resistance						
E0500CI15			ECG one-piece 5-lead cable, Clip, IEC, 3.6cm, 1KΩ resistance						










E0500SA15			ECG one-piece 5-lead cable, Snap, AHA, 3.6cm, 1KΩ resistance	<b>BIOSYS, BIOLIGHT, CREATIVE</b>	BIONET: BPM-103, BIOLIGHT: M12, CREATIVE: PC9000S,PC9000,UP6000
E0500CA15			ECG one-piece 5-lead cable, Clip, AHA, 3.6cm, 1KΩ resistance		
E0600SI03			ECG one-piece 3-lead cable, Snap, IEC, 3.6cm, no resistance	<b>COLIN</b>	BP88, BP306
E0600CI03			ECG one-piece 3-lead cable, Clip, IEC, 3.6cm, no resistance		
E0600SA03			ECG one-piece 3-lead cable, Snap, AHA, 3.6cm, no resistance		
E0600CA03			ECG one-piece 3-lead cable, Clip, AHA, 3.6cm, no resistance		
E0600SI05			ECG one-piece 5-lead cable, Snap, IEC, 3.6cm, no resistance		










E0600CI05			ECG one-piece 5-lead cable, Clip, IEC, 3.6cm, no resistance	COLIN	BP88, BP306
E0600SA05			ECG one-piece 5-lead cable, Snap, AHA, 3.6cm, 1KΩ resistance		
E0600CA05			ECG one-piece 5-lead cable, Clip, AHA, 3.6cm, no resistance		
E0700SI03			ECG one-piece 3-lead cable, Snap, IEC, 3.6cm, no resistance	COLIN	BP88S
E0700CI03			ECG one-piece 3-lead cable, Clip, IEC, 3.6cm, no resistance		
E0700SA03			ECG one-piece 3-lead cable, Snap, AHA, 3.6cm, no resistance		
E0700CA03			ECG one-piece 3-lead cable, Clip, AHA, 3.6cm, no resistance		

E0700SI05			ECG one-piece 5-lead cable, Snap, IEC, 3.6cm, no resistance	<b>COLIN</b>	BP88S
E0700CI05			ECG one-piece 5-lead cable, Clip, IEC, 3.6cm, no resistance		
E0700SA05			ECG one-piece 5-lead cable, Snap, AHA, 3.6cm, 1KΩ resistance		
E0700CA05			ECG one-piece 5-lead cable, Clip, AHA, 3.6cm, no resistance		
E0800SI03			ECG one-piece 3-lead cable, Snap, IEC, 3.6cm, no resistance	<b>DATASCOPE</b>	2000,2001,2002,2100,2200,3000, 3000A ,Ballon Pump,M/D3 w/lead select,M/D3A,M/D4,Passport,Pass port IL,Passport XG,Passport XL,Passport 2,Passport 2LT,Spectrum System 90, System 90T , System 96, System 97
E0800CI03			ECG one-piece 3-lead cable, Clip, IEC, 3.6cm, no resistance		
E0800SA03			ECG one-piece 3-lead cable, Snap, AHA, 3.6cm, no resistance		










E0800CA03			ECG one-piece 3-lead cable, Clip, AHA, 3.6cm, no resistance	<b>DATASCOPE</b>	2000,2001,2002,2100,2200,3000, 3000A ,Ballon Pump,M/D3 w/lead select,M/D3A,M/D4,Passport,Pass port IL,Passport XG,Passport XL,Passport 2,Passport 2LT,Spectrum System 90, System 90T , System 96, System 97
E0800SI05			ECG one-piece 5-lead cable, Snap, IEC, 3.6cm, no resistance		
E0800CI05			ECG one-piece 5-lead cable, Clip, IEC, 3.6cm, no resistance		
E0800SA05			ECG one-piece 5-lead cable, Snap, AHA, 3.6cm, 1KΩ resistance		
E0800CA05			ECG one-piece 5-lead cable, Clip, AHA, 3.6cm, no resistance		
E0100SI03			ECG one-piece 3-lead cable, Snap, IEC, 3.6cm, no resistance	<b>DATASCOPE</b>	2000,2001,2002,2100,2200,3000, 3000A ,Ballon Pump,M/D3 w/lead select,M/D3A,M/D4,Passport,Pass port IL,Passport XG,Passport XL,Passport 2,Passport 2LT,Spectrum System 90, System 90T , System 96, System 97
E0100CI03			ECG one-piece 3-lead cable, Clip, IEC, 3.6cm, no resistance		









E0100SA03			ECG one-piece 3-lead cable, Snap, AHA, 3.6cm, no resistance	<b>DATASCOPE</b>	2000,2001,2002,2100,2200,3000, 3000A ,Ballon Pump,M/D3 w/lead select,M/D3A,M/D4,Passport,Pass port IL,Passport XG,Passport XL,Passport 2,Passport 2LT,Spectrum System 90, System 90T , System 96, System 97
E0100CA03			ECG one-piece 3-lead cable, Clip, AHA, 3.6cm, no resistance		
E0100SI05			ECG one-piece 5-lead cable, Snap, IEC, 3.6cm, no resistance		
E0100CI05			ECG one-piece 5-lead cable, Clip, IEC, 3.6cm, no resistance		
E0100SA05			ECG one-piece 5-lead cable, Snap, AHA, 3.6cm, no resistance		
E0100SA05			ECG one-piece 5-lead cable, Clip, AHA, 3.6cm, no resistance		
E0900SI23			ECG one-piece 3-lead cable, Snap, IEC, 3.6cm, 4.7KΩ resistance	<b>DATEX</b>	AS/3, CS/3, S/5, Cardiocap 1, Cardiocap 2, Cardiocap 5, Light Monitor,Satliteplus

E0900CI23			ECG one-piece 3-lead cable, Clip, IEC, 3.6cm, 4.7KΩ resistance	<b>DATEX</b>	AS/3, CS/3, S/5, Cardiocap 1, Cardiocap 2, Cardiocap 5, Light Monitor, Satliteplus
E0900SA23			ECG one-piece 3-lead cable, Snap, AHA, 3.6cm, 4.7KΩ resistance		
E0900CA23			ECG one-piece 3-lead cable, Clip, AHA, 3.6cm, 4.7KΩ resistance		
E0900SI25			ECG one-piece 5-lead cable, Snap, IEC, 3.6cm, 4.7KΩ resistance		
E0900CI25			ECG one-piece 5-lead cable, Clip, IEC, 3.6cm, 4.7KΩ resistance		
E0900SA25			ECG one-piece 5-lead cable, Snap, AHA, 3.6cm, 4.7KΩ resistance		
E0900CA25			ECG one-piece 5-lead cable, Clip, AHA, 3.6cm, 4.7KΩ resistance		










E1000SI03			ECG one-piece 3-lead cable, Snap, IEC, 3.6cm, no resistance	<b>DRAGER SIEMENS</b>	Drager UM1/3/3.1, RM1, PM8010, PM8014, Babyguard 8000, Cato, Babylog8000/8000 plus, PB8800, Serie 8000, Cicero, Parameterbox
E1000CI03			ECG one-piece 3-lead cable, Clip, IEC, 3.6cm, no resistance		
E1000SA03			ECG one-piece 3-lead cable, Snap, AHA, 3.6cm, no resistance		
E1000CA03			ECG one-piece 3-lead cable, Clip, AHA, 3.6cm, no resistance		
E1000SI05			ECG one-piece 5-lead cable, Snap, IEC, 3.6cm, no resistance		
E1000CI05			ECG one-piece 5-lead cable, Clip, IEC, 3.6cm, no resistance		
E1000SA05			ECG one-piece 5-lead cable, Snap, AHA, 3.6cm, no resistance		





















E1100CA05			ECG one-piece 5-lead cable, Clip, AHA, 3.6cm, no resistance	<b>DRAGER SIEMENS</b>	Drager UM1/3/3.1, RM1, PM8010, PM8014, Babyguard, 8000, Cato, Babylog8000/8000 plus, PB8800, Serie 8000, Cicero, Parameterbox				
E1100SI03			ECG one-piece 3-lead cable, Snap, IEC, 3.6cm, no resistance		<b>SIEMENS MEDICAL</b>				
E1100CI03			ECG one-piece 3-lead cable, Clip, IEC, 3.6cm, no resistance						
E1100SA03			ECG one-piece 3-lead cable, Snap, AHA, 3.6cm, no resistance					Sirecust, Series 400, 500, 600, Serie 700, 900, 1200, Sirecust341/610/620/6, 30/720/722, Sirecust 730/732/900/960/961/1260, Sirecust 1281/1801/400/- 500, ECG Monitor, Polymed Modul, Modulbox Sirem	
E1100CA03			ECG one-piece 3-lead cable, Clip, AHA, 3.6cm, no resistance						
E1100SI05			ECG one-piece 5-lead cable, Snap, IEC, 3.6cm, no resistance						
E1100CI05			ECG one-piece 5-lead cable, Clip, IEC, 3.6cm, no resistance						

E1100SA05			ECG one-piece 5-lead cable, Snap, AHA, 3.6cm, no resistance	<b>SIEMENS MEDICAL</b>	Sirecust, Series 400, 500, 600, Serie 700, 900, 1200, Sirecust341/610/620/6, 30/720/722, Sirecust 730/732/900/960/961/1260, Sirecust 1281/1801/400/- 500, ECG Monitor, Polymed Modul, Modulbox Sirem
E1100CA05			ECG one-piece 5-lead cable, Clip, AHA, 3.6cm, no resistance		
E1300SI03			ECG one-piece 3-lead cable, Snap, IEC, 3.6cm, no resistance	<b>GE DATEX-OHMEDA MARQUETTE</b>	GEMS: Dash PRO 4000, Dash PRO 3000, Dash PRO 2000, Dash 1000, Eagle Systems, MAC-Lab, Solar 9500, Solar 8000. Solar 3000, Tram 100, Tram 200, Tram 300, Tram 400, Tram 500, Tram 600, Tram 800, Unity Systems
E1300CI03			ECG one-piece 3-lead cable, Clip, IEC, 3.6cm, no resistance		
E1300SA03			ECG one-piece 3-lead cable, Snap, AHA, 3.6cm, no resistance		
E1300CA03			ECG one-piece 3-lead cable, Clip, AHA, 3.6cm, no resistance		
E1300SI05			ECG one-piece 5-lead cable, Snap, IEC, 3.6cm, no resistance		









E1300CI05			ECG one-piece 5-lead cable, Clip, IEC, 3.6cm, no resistance	<p align="center"><b>GE DATEX-OHMEDA MARQUETTE</b></p>	<p>GEMS:Dash PRO 4000, Dash PRO 3000, Dash PRO 2000, Dash 1000, Eagle Systems, MAC-Lab, Solar 9500, Solar 8000. Solar 3000, Tram 100, Tram 200, Tram 300, Tram 400, Tram 500, Tram 600, Tram 800, Unity Systems</p>
E1300SA05			ECG one-piece 5-lead cable, Snap, AHA, 3.6cm, no resistance		
E1300CA05			ECG one-piece 5-lead cable, Clip, AHA, 3.6cm, no resistance		
E1400SI03			ECG one-piece 3-lead cable, Snap, IEC, 3.6cm, no resistance	<p align="center"><b>GE HELLIGE</b></p>	<p align="center">Hellige, Servomed 4, Generation, SCP 851, SCP 852, SCP 844, SCP 804, Cardioserv, VICOM-sm</p>
E1400CI03			ECG one-piece 3-lead cable, Clip, IEC, 3.6cm, no resistance		
E1400SA03			ECG one-piece 3-lead cable, Snap, AHA, 3.6cm, no resistance		
E1400CA03			ECG one-piece 3-lead cable, Clip, AHA, 3.6cm, no resistance		









E1400SI05			ECG one-piece 5-lead cable, Snap, IEC, 3.6cm, no resistance	<b>GE HELLIGE</b>	Hellige, Servomed 4, Generation, SCP 851, SCP 852, SCP 844, SCP 804, Cardioserv, VICOM-sm
E1400CI05			ECG one-piece 5-lead cable, Clip, IEC, 3.6cm, no resistance		
E1400SA05			ECG one-piece 5-lead cable, Snap, AHA, 3.6cm, no resistance		
E1400CA05			ECG one-piece 5-lead cable, Clip, AHA, 3.6cm, no resistance		
E1600SI03			ECG one-piece 3-lead cable, Snap, IEC, 3.6cm, 1KΩ resistance	<b>KONTRON</b>	7000, 7135, 7135B, 7141, 7210, 7250, 7251, K2000, KAAT, Kolormon, Micromon, Minimon, Supermon, Vitalmon
E1600CI03			ECG one-piece 3-lead cable, Clip, IEC, 3.6cm, 1KΩ resistance		
E1600SA03			ECG one-piece 3-lead cable, Snap, AHA, 3.6cm, 1KΩ resistance		










E1600CA03			ECG one-piece 3-lead cable, Clip, AHA, 3.6cm, 1KΩ resistance	<b>KONTRON</b>	7000, 7135, 7135B, 7141, 7210, 7250, 7251, K2000, KAAT, Kolormon, Micromon, Minimon, Supermon , Vitalmon
E1600SI05			ECG one-piece 5-lead cable, Snap, IEC, 3.6cm, 1KΩ resistance		
E1600CI05			ECG one-piece 5-lead cable, Clip, IEC, 3.6cm, 1KΩ resistance		
E1600SA05			ECG one-piece 5-lead cable, Snap, AHA, 3.6cm, 1KΩ resistance		
E1600CA05			ECG one-piece 5-lead cable, Clip, AHA, 3.6cm, 1KΩ resistance		
E1800SI03			ECG one-piece 3-lead cable, Snap, IEC, 3.6cm, no resistance		
E1800CI03			ECG one-piece 3-lead cable, Clip, IEC, 3.6cm, no resistance		










E1800SA03			ECG one-piece 3-lead cable, Snap, AHA, 3.6cm, no resistance	<b>MEK</b>	MP1000,MP600,MP500
E1800CA03			ECG one-piece 3-lead cable, Clip, AHA, 3.6cm, no resistance		
E1800SI05			ECG one-piece 5-lead cable, Snap, IEC, 3.6cm, no resistance		
E1800CI05			ECG one-piece 5-lead cable, Clip, IEC, 3.6cm, no resistance		
E1800SA05			ECG one-piece 5-lead cable, Snap, AHA, 3.6cm, no resistance		
E1800CA05			ECG one-piece 5-lead cable, Clip, AHA, 3.6cm, no resistance		
E1700SI33			ECG one-piece 3-lead cable, Snap, IEC, 3.6cm, 10KΩ resistance	<b>MEDTRONIC</b>	Lifepak 12 , 120, Lifepak 20












E1700CI33			ECG one-piece 3-lead cable, Clip, IEC, 3.6cm, 10KΩ resistance	<b>MEDTRONIC</b>	Lifepak 12 , 120, Lifepak 20
E1700SA33			ECG one-piece 3-lead cable, Snap, AHA, 3.6cm, 10KΩ resistance		
E1700CA33			ECG one-piece 3-lead cable, Clip, AHA, 3.6cm, 10KΩ resistance		
E1700SI35			ECG one-piece 5-lead cable, Snap, IEC, 3.6cm, 10KΩ resistance		
E1700CI35			ECG one-piece 5-lead cable, Clip, IEC, 3.6cm, 10KΩ resistance		
E1700SA35			ECG one-piece 5-lead cable, Snap, AHA, 3.6cm, no resistance		
E1700CA35			ECG one-piece 5-lead cable, Clip, AHA, 3.6cm, 10KΩ resistance		

E1900SI03			ECG one-piece 3-lead cable, Snap, IEC, 3.6cm, no resistance	<b>MENNEN</b>	(MENNEN):900,1100,1110,Horizon 2000,2100,2200,5200, Horizon 9000XL,MR1200,1270, Horizon 1280,1300,Horizon 1380
E1900CI03			ECG one-piece 3-lead cable, Clip, IEC, 3.6cm, no resistance		
E1900SA03			ECG one-piece 3-lead cable, Snap, AHA, 3.6cm, no resistance		
E1900CA03			ECG one-piece 3-lead cable, Clip, AHA, 3.6cm, no resistance		
E1900SI05			ECG one-piece 5-lead cable, Snap, IEC, 3.6cm, no resistance		
E1900CI05			ECG one-piece 5-lead cable, Clip, IEC, 3.6cm, no resistance		
E1900SA05			ECG one-piece 5-lead cable, Snap, AHA, 3.6cm, no resistance		










E1900CA05			ECG one-piece 5-lead cable, Clip, AHA, 3.6cm, no resistance	<b>MENNEN</b>	(MENNEN):900,1100,1110,Horizon 2000,2100,2200,5200, Horizon 9000XL,MR1200,1270, Horizon 1280,1300,Horizon 1380
E2100SI13			ECG one-piece 3-lead cable, Snap, IEC, 3.6cm, 1KΩ resistance		<b>MINDRAY</b>
E2100CI13			ECG one-piece 3-lead cable, Clip, IEC, 3.6cm, 1KΩ resistance		
E2100SA13			ECG one-piece 3-lead cable, Snap, AHA, 3.6cm, 1KΩ resistance		
E2100CA13			ECG one-piece 3-lead cable, Clip, AHA, 3.6cm, 1KΩ resistance		
E2100SI15			ECG one-piece 5-lead cable, Snap, IEC, 3.6cm, 1KΩ resistance		
E2100CI15			ECG one-piece 5-lead cable, Clip, IEC, 3.6cm, 1KΩ resistance		










E2100SA15			ECG one-piece 5-lead cable, Snap, AHA, 3.6cm, 1KΩ resistance	<b>MINDRAY</b>	PM5000,PM6000,T5/T8
E2100CA15			ECG one-piece 5-lead cable, Clip, AHA, 3.6cm, 1KΩ resistance		
E2200SI13			ECG one-piece 3-lead cable, Snap, IEC, 3.6cm, 1KΩ resistance	<b>MINDRAY</b>	PM5000,PM6000,T5/T8
E2200CI13			ECG one-piece 3-lead cable, Clip, IEC, 3.6cm, 1KΩ resistance		
E2200SA13			ECG one-piece 3-lead cable, Snap, AHA, 3.6cm, 1KΩ resistance		
E2200CA13			ECG one-piece 3-lead cable, Clip, AHA, 3.6cm, 1KΩ resistance		
E2200SI15			ECG one-piece 5-lead cable, Snap, IEC, 3.6cm, 1KΩ resistance		









E2200C15			ECG one-piece 5-lead cable, Clip, IEC, 3.6cm, 1KΩ resistance	<b>MINDRAY</b>	PM-6800, PM-6000 (after 2004) with 12-pin green input connector, BeneView (T5, 56, T8), iPM Series
E2200SA15			ECG one-piece 5-lead cable, Snap, AHA, 3.6cm, 1KΩ resistance		
E2200CA15			ECG one-piece 5-lead cable, Clip, AHA, 3.6cm, 1KΩ resistance		
E2400SI13			ECG one-piece 3-lead cable, Snap, IEC, 3.6cm, 1KΩ resistance	<b>NIHON KOHDEN</b>	OEC-6102A (s/n<20156), OEC-6105A (s/n<20226), OEC-6120A/J/K, BSM-7105K
E2400CI13			ECG one-piece 3-lead cable, Clip, IEC, 3.6cm, 1KΩ resistance		
E2400SI15			ECG one-piece 5-lead cable, Snap, IEC, 3.6cm, 1KΩ resistance		
E2400CI15			ECG one-piece 5-lead cable, Clip, IEC, 3.6cm, 1KΩ resistance		






E2500SI73			ECG one-piece 3-lead cable, Snap, IEC, 3.6m, Round 11Pin, +100KΩ	<b>NIHON KOHDEN</b>	TEC-7621K, TEC-7631K	
E2500CI73			ECG one-piece 3-lead cable, Clip, IEC, 3.6m, Round 11Pin, +100KΩ			
E2500SI83				ECG one-piece 3-lead cable, Snap, IEC, 3.6m, Round 11Pin, +200KΩ	<b>NIHON KOHDEN</b>	TEC-7621C
E2500CI83				ECG one-piece 3-lead cable, Clip, IEC, 3.6m, Round 11Pin, +200KΩ		
E2500SI03				ECG one-piece 3-lead cable, Snap, IEC, 3.6m, Round 11Pin	<b>NIHON KOHDEN</b>	BSM-7102A, OMP-7201C, OMP-7203C, TEC-5200A (s/n<20421)
E2500CI03				ECG one-piece 3-lead cable, Clip, IEC, 3.6m, Round 11Pin		
E2600SI03			ECG one-piece 3-lead cable, Snap, 3.6m, IEC	<b>NIHON KOHDEN</b>	BSM-73, BSM-2300 Lifescope I, BSM4100 Lifescope P, BSM-5100 Lifescope A, BSM-9510 Lifescope M, BSM-9800 Lifescope S	



E2600CI03			ECG one-piece 3-lead cable, Clip, 3.6m, IEC	<p style="text-align: center;"><b>NIHON KOHDEN</b></p>	BSM-73, BSM-2300 Lifescope I, BSM4100 Lifescope P, BSM-5100 Lifescope A, BSM-9510 Lifescope M, BSM-9800 Lifescope S			
E2800SI13			ECG one-piece 3-lead cable, Snap, IEC, 3.6cm, 1KΩ resistance		<p style="text-align: center;"><b>PHILIPS HP</b></p>	<p style="text-align: center;">78352C, 78354C, 78834C, M1001A/B, M1002A/B, M1722A/B, M1723A/B, M2475B, M3000A, M3001A, M3535A, M3536A, M4735A, 862474, 862475 (C3) , 862478, 862479 (C3)</p>		
E2800CI13			ECG one-piece 3-lead cable, Clip, IEC, 3.6cm, 1KΩ resistance					
E2800SA13			ECG one-piece 3-lead cable, Snap, AHA, 3.6cm, 1KΩ resistance					
E2800CA13			ECG one-piece 3-lead cable, Clip, AHA, 3.6cm, 1KΩ resistance					
E2800SI15			ECG one-piece 5-lead cable, Snap, IEC, 3.6cm, 1KΩ resistance					
E2800CI15			ECG one-piece 5-lead cable, Clip, IEC, 3.6cm, 1KΩ resistance					

E2800SA15			ECG one-piece 5-lead cable, Snap, AHA, 3.6cm, 1KΩ resistance	PHILIPS HP	78352C, 78354C, 78834C, M1001A/B, M1002A/B, M1722A/B, M2475B, M3000A, M3001A, M3535A, M3536A, M4735A
E2800CA15			ECG one-piece 5-lead cable, Clip, AHA, 3.6cm, 1KΩ resistance		
E3000SI13			ECG one-piece 3-lead cable, Snap, IEC, 3.6cm, 1KΩ resistance	PHILIPS HP	77010AC 77020A/AC 77020AR 77025A 77030A 77035A 77040A 78208A 78210A 78330A 78331A 78332A 78333A 78341A 78342A 78345A 78346A 78351T 78352A 78353A/B 78354A 78532A/B 78534A/B/C M1722A/B M1723A/B M2400A M2406A M2475B M3500B M5500B series defibrillators with 8Pin input connector
E3000CI13			ECG one-piece 3-lead cable, Clip, IEC, 3.6cm, 1KΩ resistance		
E3000SA13			ECG one-piece 3-lead cable, Snap, AHA, 3.6cm, 1KΩ resistance		
E3000CA13			ECG one-piece 3-lead cable, Clip, AHA, 3.6cm, 1KΩ resistance		
E3000SI15			ECG one-piece 5-lead cable, Snap, IEC, 3.6cm, 1KΩ resistance		

E3000C15			ECG one-piece 5-lead cable, Clip, IEC, 3.6cm, 1KΩ resistance	<b>PHILIPS HP</b>	<p>77010AC 77020A/AC 77020AR  77025A 77030A 77035A 77040A  78208A 78210A 78330A 78331A  78332A 78333A 78341A 78342A  78345A 78346A 78351T 78352A  78353A/B 78354A 78532A/B  78534A/B/C M1722A/B M1723A/B  M2400A M2406A M2475B M3500B  M5500B series  defibrillators with 8Pin  input connector</p>
E3000SA15			ECG one-piece 5-lead cable, Snap, AHA, 3.6cm, 1KΩ resistance		
E3000CA15			ECG one-piece 5-lead cable, Clip, AHA, 3.6cm, 1KΩ resistance		
E3300SI13			ECG one-piece 3-lead cable, Snap, IEC, 3.6cm, 1KΩ resistance	<b>SPACELABS</b>	90492, 91220, 90496, 91496
E3300CI13			ECG one-piece 3-lead cable, Clip, IEC, 3.6cm, 1KΩ resistance		
E3300SA13			ECG one-piece 3-lead cable, Snap, AHA, 3.6cm, 1KΩ resistance		
E3300CA13			ECG one-piece 3-lead cable, Clip, AHA, 3.6cm, 1KΩ resistance		

E3300S15			ECG one-piece 5-lead cable, Snap, IEC, 3.6cm, 1KΩ resistance	<b>SPACELABS</b>	90492, 91220, 90496, 91496
E3300C15			ECG one-piece 5-lead cable, Clip, IEC, 3.6cm, 1KΩ resistance		
E3300SA15			ECG one-piece 5-lead cable, Snap, AHA, 3.6cm, 1KΩ resistance		
E3300CA15			ECG one-piece 5-lead cable, Clip, AHA, 3.6cm, 1KΩ resistance		



## Protect and Save Lives

深圳市泰世科技有限公司是内资企业,工厂位于深圳市福永镇新塘工业区,现有厂房面积13000平方米,内设空调车间、清洁车间及无尘车间。员工近200名,投入资金达500万人民币。泰世科技用先进的管理方式,优良的生产设备、高超的技术力量、以及精密的测试仪器,再加上经验丰富的业务及工程技术人员,以及熟练的生产人员的配合,以达到一流的操作服务来迎合广大客户的需求。2004年公司成功推行ISO 9000质量体系转版工作,为了加强产品的管理控制,2007年公司内部实行ISO 140001运作,在2008年成功获得ISO13485:2003体系认证及CE产品认证,力争以更高的品质、优越的环境和服务满足客户的要求。



We bring over 20 years experience in medical interconnect solutions to robust healthcare by offering a one-stop-shop service from product design to mass production. We take pride and work closely with healthcare professionals to develop ideas to products to meet the dynamic changes in healthcare sector.

We utilizes a 12-phase product development process with clearly defined tasks and deliverables. This process offers our team a clear focus to begin work at any given point during your design and development plan from brainstorming concepts to feasibility studies to detailed design for manufacturability, assembly, validation and production transfer.

We team up with members equipped with experiences in medical marketing, bio-electrical, electro-mechanical, mold designing, product certification and clinical analysis to transfer your ideas to products that excel in the market.



联系方式:

深圳市泰世科技有限公司

深圳市宝安区福永镇白石厦新塘工业园D2栋二楼

电话: +86 (755) 6115.0348, 6115.0615

传真: +86 (755) 6115.0349

网站: [www.triseltech.com](http://www.triseltech.com) 电邮: [sales@triseltech.com](mailto:sales@triseltech.com)

